



2026

CATALOGUE

SAFETY

SIGNAGE

CONSTRUCTION

KAPPA

Safety

- 4 Safety Helmet Model JAR
- 5 Safety Helmet Model EXPO
- 6 Safety Helmet Model JUMBO V3
- 7 Safety Helmet Model JUMBO
- 8 Forestry Kit Pegasus / Forestry Kit / Protective cap / Chin strap
- 9 Pegasus helmet for height work / Protective goggles / Pegasus dielectric helmet
- 10 Universal neck cover / Hearing protection / Face protection
- 11 Lumbar support belt / Reinforced elastic brace / Reflective Wristband / Driver's HV vest
- 12 Fall arrest harnesses
- 13 Fall arrest rope
- 14 Temporary Edge Protection System (SPPB)
- 15 Telescopic guardrail / Safety strut support / Protective end caps

Signage

- 16 Barrier tapes
- 17 Barrier tape / Marker cord with tags / Adhesive tape
- 18 Traffic cones
- 19 Traffic beacons / Signalling spikes / Warning tubes
- 20 Warning chains / Orange safety mesh
- 21 Extending metal fences / Extending plastic fences
- 22 Roadsign with aluminium handle / Roadsign with plastic handle / Signal flag / Lamp-Battery / Label Holder
- 23 Luminous traffic arrow / Large format canvas to customise / Custom signage
- 24 Scaffolding warning panel / PVC sign 70x50 cm. / Oversized load panels / "Warning slippery floor" sign
- 25 Multiple notice canvas sign 70x50 cm. / PVC sign / Multiple notice canvas sign
- 26 Screenprinted plastic signs
- 28 Screenprinted plastic bags. Metal frame
- 29 Metal signage. Metal support
- 30 Plastic signs for waste / Photoluminescent posters

Construction

- 31 Chalk line reels
- 33 Containers Eco
- 34 Buckets and containers suitable for food / Expositor multipurpose container
- 35 Multipurpose containers
- 36 Leveling System
- 38 Trowels / Floats / Sponges
- 40 Stainless steel trowel / Cleaning bucket
- 41 Cross spacers
- 42 Edge guards / Joints / Spacers / Profile jib
- 43 PVC edge guards / Mesh / Exterior
- 44 Master level / Chamfer strips
- 45 Plastic formwork / TurboPack
- 46 Plastic spacers
- 47 Concrete spacers / Formwork capsule / Protective end caps
- 48 Vents / Sieves
- 49 Sieves / Metal formwork

Kappa-Construcción

- 51 Handles
- 56 Tools
- 60 Spirit levels
- 62 Technical Measurement / Display units
- 63 Rulers

General Contents





Metálicas Plásticas JAR, S.L. is a company that was created in 1969 as a manufacturer of protection, signage and construction items. Over time, it has consolidated its position in the market until today it has become a required reference in its sector.

The constant search for customer satisfaction, the commitment to quality products and raw materials, the incorporation of innovative products worldwide and investment in facilities and machinery have been some of the keys to this success.

The company's continuous growth and our strong presence in the national and international market vouch for us. With the hope of being "always in the lead", we face the future and the new challenges to the JAR brand.



JAR is divided into 4 sections

1



S1 is the section which manufactures all the plastic products, both injection and extrusion.

One of JAR's most emblematic injected plastic products is the safety helmet. Currently a robot is responsible for performing all the steps required for its assembly (fitting the equipment, label, sweatband, instruction booklet, key ring, and putting into the plastic packaging).

As for the extrusion family, there are remarkable products such as the corner guard, the chamfer strip, the shuttering tube, the beading, the expansion joints etc.

2



S2 is the section which manufactures all the metal products such as the shuttering clip, the strapping, the mesh corner guard, the guardrail posts, the railing (SPPB), etc.

The latest addition to this section has been the spirit levels, which require precision and meticulous handling.

In this section there is also a laboratory in which various tests are carried out on the products that need them.

3



S3 is the signage section. Here the flexography (e.g. barrier tape), screen printing (signs) and the preparation and assembly of products such as Chalk line reels and chalk is done.

Because we are manufacturers of barrier tape, it allows us to offer our customers all kinds of custom tape suited to their needs.

The signage family grows day by day. We constantly add new models to our wide range of plastic and metal signs.

4



Finally there is **S4**, the Finished Product Warehouse Section. In a large and well lit space, all the products we manufacture are arranged and from there orders leave ever faster. The speed of service is a priority for us.

SAFETY HELMET MODEL JAR

COLOURS



CHARACTERISTICS

- **CE** EN397
- Maximum comfort: 22 cm sweatband.
- 2 versions:
 - Standard adjustment PE harness.
 - Wheel adjustment PE harness.
- Universal slot to fit accessories.

* **CUSTOMISABLE:** minimum quantity 100 pieces.

STANDARD REGULATION

Ref.	Colour		
2001199	White	Bag of 20 pcs.	380 gr.
2001299	Yellow	Bag of 20 pcs.	380 gr.
2001399	Blue	Bag of 20 pcs.	380 gr.
2001499	Green	Bag of 20 pcs.	380 gr.
2001599	Red	Bag of 20 pcs.	380 gr.
2001799	Orange	Bag of 20 pcs.	380 gr.

WHEEL ADJUSTMENT

Ref.	Colour		
2305199	White	Bag of 20 pcs.	395 gr.
2305299	Yellow	Bag of 20 pcs.	395 gr.
2305399	Blue	Bag of 20 pcs.	395 gr.
2305499	Green	Bag of 20 pcs.	395 gr.
2305599	Red	Bag of 20 pcs.	395 gr.
2305799	Orange	Bag of 20 pcs.	395 gr.



ACCESSORIES: CHINSTRAP, SCREENS, HEARING PROTECTORS



SAFETY HELMET MODEL EXPO

COLOURS



STANDARD REGULATION

Ref.	Colour		
2371199	White	Bag of 20 pcs.	325 gr.
2371299	Yellow	Bag of 20 pcs.	325 gr.
2371399	Blue	Bag of 20 pcs.	325 gr.
2371499	Green	Bag of 20 pcs.	325 gr.
2371599	Red	Bag of 20 pcs.	325 gr.
2371799	Orange	Bag of 20 pcs.	325 gr.

WHEEL ADJUSTMENT

Ref.	Colour		
2375199	White	Bag of 20 pcs.	340 gr.
2375299	Yellow	Bag of 20 pcs.	340 gr.
2375399	Blue	Bag of 20 pcs.	340 gr.
2375499	Green	Bag of 20 pcs.	340 gr.
2375599	Red	Bag of 20 pcs.	340 gr.
2375799	Orange	Bag of 20 pcs.	340 gr.

CHARACTERISTICS

- **CE** EN397
- Maximum comfort: 22 cm sweatband.
- 2 versions:
 - Standard adjustment PE harness.
 - Wheel adjustment PE harness.
- Ventilation holes.

* **CUSTOMISABLE:** minimum quantity 100 pieces.



ACCESSORIES: CHINSTRAP



SAFETY HELMET MODEL JUMBO V3

COLOURS



CHARACTERISTICS

- **CE** EN397
- Maximum comfort: 22 cm sweatband.
- 2 versions:
 - Standard adjustment PE harness.
 - Wheel adjustment PE harness.
- Ventilation holes.
- Universal slot to fit accessories.

* **CUSTOMISABLE:** minimum quantity 100 pieces.

STANDARD REGULATION

Ref.	Colour		
2381199	White	Bag of 20 pcs.	305 gr.
2381299	Yellow	Bag of 20 pcs.	305 gr.
2381399	Blue	Bag of 20 pcs.	305 gr.
2381499	Green	Bag of 20 pcs.	305 gr.
2381599	Red	Bag of 20 pcs.	305 gr.
2381799	Orange	Bag of 20 pcs.	305 gr.

WHEEL ADJUSTMENT

Ref.	Colour		
2385199	White	Bag of 20 pcs.	320 gr.
2385299	Yellow	Bag of 20 pcs.	320 gr.
2385399	Blue	Bag of 20 pcs.	320 gr.
2385499	Green	Bag of 20 pcs.	320 gr.
2385599	Red	Bag of 20 pcs.	320 gr.
2385799	Orange	Bag of 20 pcs.	320 gr.



ACCESSORIES: CHINSTRAP, SCREENS, HEARING PROTECTORS



SAFETY HELMET MODEL JUMBO

COLOURS



CHARACTERISTICS

- **CE** EN397
- Maximum comfort: 22 cm sweatband.
- 2 versions:
 - Standard adjustment textile harness.
 - Wheel adjustment textile harness.
- Ventilation holes.
- Universal slot to fit accessories.

* **CUSTOMISABLE:** minimum quantity 100 pieces.

STANDARD REGULATION

Ref.	Colour		
2301199	White	Bag of 20 pcs.	295 gr.
2301299	Yellow	Bag of 20 pcs.	295 gr.
2301399	Blue	Bag of 20 pcs.	295 gr.
2301499	Green	Bag of 20 pcs.	295 gr.
2301599	Red	Bag of 20 pcs.	295 gr.
2301799	Orange	Bag of 20 pcs.	295 gr.

WHEEL ADJUSTMENT

Ref.	Colour		
2311199	White	Bag of 20 pcs.	310 gr.
2311299	Yellow	Bag of 20 pcs.	310 gr.
2311399	Blue	Bag of 20 pcs.	310 gr.
2311499	Green	Bag of 20 pcs.	310 gr.
2311599	Red	Bag of 20 pcs.	310 gr.
2311799	Orange	Bag of 20 pcs.	310 gr.



ACCESSORIES: CHINSTRAP, SCREENS, HEARING PROTECTORS



FORESTRY KIT PEGASUS



Cranial, facial and hearing protection set for forestry tasks. It consists of 4 items: PEGASUS model construction helmet with WHEEL, with a textile harness and 4 anchoring points EN 397). Orange (ref. 2000799) • Universal screen support (EN 166) (ref. 4552099) • Metal screen 200 x 390 mm. (EN 1731). 90° folding face protector (ref. 4556099) • Hearing protector SNR 25.9 dB (EN 352-3). Red. With chinstrap. It comes in an Single box.

CE EN 397, EN 1731, EN 352-3

Ref.	
4565799	Single

FORESTRY KIT



Cranial, facial and hearing protection set for forestry tasks. It consists of 4 items: JUMBO model construction helmet with WHEEL, with a textile harness and 4 anchoring points EN 397). Orange (ref. 2311799) • Universal screen support (EN 166) (ref. 4552099) • Metal screen 200 x 390 mm. (EN 1731). 90° folding face protector (ref. 4556099) • Hearing protector SNR 25.9 dB (EN 352-3). Red. It comes in an Single box.

CE EN 397, EN 1731, EN 352-3

Ref.	
4560099	Single

PROTECTIVE CAP

Ref. 1800399



Ref. 1805399



Ref. 1801399

Protective cap with plastic frame, removable for easy washing. Shock resistant caps for industry use are intended to protect the user from the effects of blows to the head from hard, immobile objects, strong enough to cause lacerations or other superficial injuries. We have 3 models: Cap with standard visor (7 cm.). Ref. 1800399 • Gorra con visera corta (3 cm.). Ref. 1801 • Cap with medium visor (5 cm.) Ref. 1801399 and LED lights Ref. 1805399.

CE EN 812

Ref.	
1800399	Bag of 6 pcs.
1801399	Bag of 6 pcs.
1805399	Bag of 6 pcs.

CHIN STRAP



CE EN 397



The JAR chinstrap consists of a 20 mm wide elastic band, 2 adjustable buckles and a chin fitting.

An adapter piece is also included for use with the jumbo helmet.

Its function is to help hold fix helmet on the user's head.

It is certified in conjunction with the JAR model, EXPO model, JUMBO model and JUMBO V3 model helmets.

Ref.	
1200099	Bag of 10 pcs.

PEGASUS HELMET FOR HEIGHT WORK



CHARACTERISTICS

- Industrial protective helmet (EN397)
- ABS Shell for high impact resistance and durability
- Short visor for height work
- Textile harness with sweatshirt and 6 anchoring points for excellent shock absorption
- Chinstrap with 4 anchorage points
- Adjustable ventilation with the possibility of opening and closing
- Wheel adjustment at the rear (53-64 cm)
- Universal slot fit accessories

COLOURS



Ref.	Colour	
2000199	White	Single
2000299	Yellow	Single
2000399	Blue	Single
2000799	Orange	Single
1999099	Sweatshirt replacement	Single

PROTECTIVE GOGGLES

Flip-up goggles suitable for the Pegasus Helmet.
Scratch and impact resistant transparent screen. 100% Polycarbonate. **CE** EN 166, Class 1 B

Ref.	
4559099	Single



PEGASUS DIELECTRIC HELMET



CHARACTERISTICS

- Industrial protective helmet (EN397)
- Electrically insulating helmet for low-voltage installations (EN50365)
- Class 0 according to EN50365 for electrical insulation up to 1000 V AC and 1500 V DC
- ABS Shell for high impact resistance and durability
- Short visor for height work
- Textile harness with sweatshirt and 6 anchoring points for excellent shock absorption
- Chinstrap with 4 anchorage points
- Adjustable ventilation with the possibility of opening and closing
- Wheel adjustment at the rear (53-64 cm)
- Universal slot fit accessories
- Resistance to very low temperatures

Ref.	
2335199	Single



UNIVERSAL NECK COVER

Lightweight neck cover for helmets that protects the user from ultraviolet rays. Made from a fabric designed to keep the user cool, dry and comfortable. Easily attachable to all protective helmets.

Ref.	
1060099	Single

HEARING PROTECTION

HEARING PROTECTOR FOR SAFETY HELMET

Hearing protector for safety helmet SNR 25.9 dB. Includes helmet adapters. Suitable for helmet models JAR, JAR Wheel, JUMBO, JUMBO V3, JUMBO Wheel and JUMBO V3 Wheel.

CE EN 352-3

Ref.	
4558099	Pair



HEARING PROTECTOR WITH HEADBAND

Hearing protector with headband. Attenuation Value: SNR SNR: 30 dB

CE EN 352-1

Ref.	
4557099	Single



FACE PROTECTION

UNIVERSAL SCREEN SUPPORT

Universal screen support for safety helmet. Adapter included.

Suitable for helmet models JAR, JAR Wheel, JUMBO, JUMBO V3, JUMBO Wheel and JUMBO V3 Wheel.




CE EN 166



Ref.	
4552099	Single

SCREEN SUPPORT

Support for screens that adjusts to fit the user's head.



CE EN 166

Ref.	
4554099	Single

TRANSPARENT SCREEN

Transparent PC screen. Size: 200 x 390 mm.

CE EN 166

Ref.	
4555099	Single



SCREEN KIT

Facial protection set consisting of:

- Screen support (ref. 4554099).
- Metal mesh screen (ref. 4556099).



CE EN 1731

Ref.	
4561099	Single

METAL MESH SCREEN

Metal mesh screen. Size: 200 x 390 mm

CE EN 1731

Ref.	
4556099	Single



LUMBAR SUPPORT BELT

LUMBAR SUPPORT BELT WITH VELCRO

Belt designed to protect the user from minor vibrations in postures or movements that negatively affect the rear lumbar regions.

Velcro closure. Several sizes available.



Ref.	Size	Length	
1160004	N.º 4	80 cm.	Single
1160005	N.º 5	85 cm.	Single
1160006	N.º 6	90 cm.	Single
1160007	N.º 7	95 cm.	Single
1160008	N.º 8	100 cm.	Single
1160009	N.º 9	105 cm.	Single
1160010	N.º 10	110 cm.	Single
1160011	N.º 11	115 cm.	Single
1160012	N.º 12	120 cm.	Single

LUMBAR SUPPORT BELT WITH BUCKLE

Belt designed to protect the user from minor vibrations in postures or movements that negatively affect the rear lumbar regions.

Buckle closure. Several sizes available.



Ref.	Size	Length	
1170002	N.º 2	80 cm.	Single
1170003	N.º 3	85 cm.	Single
1170004	N.º 4	90 cm.	Single
1170005	N.º 5	95 cm.	Single
1170006	N.º 6	100 cm.	Single
1170007	N.º 7	105 cm.	Single
1170008	N.º 8	110 cm.	Single
1170009	N.º 9	115 cm.	Single
1170010	N.º 10	120 cm.	Single

REINFORCED ELASTIC BRACE

Reinforced elastic lumbar brace intended to protect the user's dorsal and lumbar regions. Adjustable with Velcro closure. Optional braces.

Ref. 1185099



Ref. 1180



Ref.	Size	Length
1180006	M	Until 100 cm.
1180007	L	100 - 110 cm.
1180008	XL	110 - 130 cm.
1185099	Unique	

REFLECTIVE WRISTBAND

High visibility wristband with reflective strip. With black bias binding edges. Available in yellow or orange. Size: 44 x 10 cm.



Ref.



1050299

Single

DRIVER'S HV VEST

DRIVER'S HV VEST WITH ZIP CLOSURE

High visibility garment intended to visually indicate the presence of the user. It has 3 50 mm reflective strips (2 vertical and 1 horizontal).

Front zip closure.

CE EN ISO 20471
CE EN ISO 13688

Ref.	Size	
1130205	M	Single
1130207	XL	Single



DRIVER'S HV VEST WITH VELCRO CLOSURE

High visibility garment intended to visually indicate the presence of the user. It has 2 50 mm horizontal reflective strips.

Front Velcro closure.

CE EN ISO 20471
CE EN ISO 13688

Ref.	Size	
1135207	XL	Single



FALL ARREST HARNESSSES

FALL ARREST HARNESS - AJ1

Fall arrest harness with 1 anchor point (dorsal) and 3 adjustment points.

- 1 dorsal fall arrest anchorage (steel D buckle).
- 45 mm wide polyester strap.
- Adjustable chest and leg straps (steel buckles).
- Comfort: Subgluteal strap for greater comfort.
- Includes textile bag.



Dorsal

CE EN 361:2002

Ref.	
4030099	Single


FALL ARREST HARNESS - AJ2

Fall arrest harness with 2 anchor points (dorsal and pectoral) and 3 adjustment points.

- 1 dorsal fall arrest anchorage (steel D buckle).
- 1 pectoral anchorage consisting of 2 "D" rings
- 45 mm wide polyester strap.
- Adjustable chest and leg straps (steel buckles).
- Comfort: Subgluteal strap for greater comfort.
- Includes textile bag.



Dorsal



Pectoral


CE EN 361:2002

Ref.	
4032099	Single

FALL ARREST HARNESS - AJ3

Fall arrest harness with 2 anchor points (dorsal and pectoral) + positioning ring with side rings and 6 adjustment points.


- 1 dorsal fall arrest anchorage (steel D buckle).
- 1 pectoral anchorage consisting of 2 reinforced rings
- Padded positioning belt with 2 side "D" rings
- 45 mm wide polyester strap.
- Adjustable chest, leg, back and waist straps (steel buckles)
- Comfort: Subgluteal strap for greater comfort.
- Includes textile bag.



Pectoral



Dorsal



Lateral anchoring (positioning)

CE EN 361:2002 CE EN 358: 2018

Ref.	
4033099	Single

KIT HARNESS

Choose your kit

KIT HARNESS - AJ1

Fall arrest harness – AJ1 + Fall arrest rope 1.5 m CJ-3



Ref.	
40304620	Single

KIT HARNESS - AJ2

Fall arrest harness – AJ2+ Fall arrest rope 1.5m CJ-3



Ref.	
40324620	Single

FALL ARREST ROPE

FALL ARREST ROPE 1,5 M. – CJ3

1.5 metre fall arrest rope + 2 screw carabiners.
Length: 1.5 m. • 2 screw-type steel carabiners
• 12 mm diameter polyester rope with 2 loops
• Thimbles at the ends to protect the rope from friction from the carabiner • Blue tracer on the rope to indicate material wear • Breaking strength: 22 kN.

CE EN 354:2010

CE EN 362:2004

Ref.	
4620099	Single



ADJUSTABLE POSITIONING ROPE 2 M. – CJ4

2 metre positioning rope with adjustable buckle + 2 screw carabiners.

Maximum length (including carabiners): 2 m. • 2 screw-type steel carabiners • 12 mm diameter polyester rope with 2 loops • Thimbles at one end to protect the rope from rubbing by the carabiner • Maximum load: 140 kg.

CE EN 358:2018

CE EN 362:2004

Ref.	
4622099	Single



FALL ARREST ROPE WITH ENERGY ABSORBER 1,8 M. – CJ7

1.8 metre fall arrest rope with absorber + 1 screw carabiner + 1 scaffolding carabiner.

Length: 1.8 m. • 1 screw-type steel carabiner • 1 steel scaffolding carabiner • 45 mm wide webbing energy absorber to reduce the impact of the fall (less than 6 kN) • 12 mm diameter polyester rope with 2 loops • Thimbles at the ends to protect the rope from friction from the carabiner.

CE EN 355:2002

CE EN 362:2004

Ref.	
4623099	Single



FALL ARREST ROPE 1,5 M. – CJ6

1.5 metre fall arrest rope + 1 screw carabiner + 1 scaffolding carabiner.

Length: 1.5 m. • 1 screw-type steel carabiner • 1 steel scaffolding carabiner • 12 mm diameter polyester rope with 2 loops • Thimbles at the ends to protect the rope from friction from the carabiner • Blue tracer on the rope to indicate material wear • Breaking strength: 22 kN.

CE EN 354:2010

CE EN 362:2004

Ref.	
4621099	Single



FALL ARREST ROPE WITH ENERGY ABSORBER 1,8 M. – CJ5

1.8 metre fall arrest rope with absorber + 2 screw carabiners.

Length: 1.8 m. • 2 screw-type steel carabiners • 45 mm wide webbing energy absorber to reduce the impact of the fall (less than 6 kN) • 12 mm diameter polyester rope with 2 loops • Thimbles at the ends to protect the rope from friction from the carabiner.

CE EN 355:2002

CE EN 362:2004

Ref.	
4624099	Single



"Y" FALL ARREST ROPE WITH ENERGY ABSORBER 1,8 M.

1.8 metre fall arrest rope with absorber + 1 screw carabiner + 2 scaffolding carabiners.

Length: 1.8 m. • 1 screw-type steel carabiner • 2 steel scaffolding carabiners • 45 mm wide webbing energy absorber to reduce the impact of the fall (less than 6 kN) • 12 mm diameter polyester rope with 2 loops • Thimbles at the ends to protect the rope from friction from the carabiner.

CE EN 355:2002

CE EN 362:2004

Ref.	
4834099	Single



TEMPORARY EDGE PROTECTION SYSTEM (SPPB)



NEW DESIGN

Temporary Edge Protection Systems (SPPB) are mainly used to prevent people and objects falling to a lower level from rooftops, edges, stairs and other areas where protection is required.


Temporary edge protection or other fall protection devices are required when the fall height is greater than 2 metres.

The JAR SPPB is a Class A system so the system's range of application is for horizontal surfaces with a maximum inclination of 10°.

Class A SPPBs have two basic purposes: To serve as support for a person who relies on the protection and to stop a person who walks or falls towards the protection.

S.P.P.B. LINEAR (type L)

System tested according to
UN-EN 13374-2013 Class A



The JAR SPPB consists of:

- Plastic capsule with protective cap, 130 mm high x 41.5 mm interior for embedding in concrete. Ref. 2270799.
- 40 x 40 x 1.5 mm round metal tubular guardrail post, made of steel. Ref. 3031099.
- Horizontal tubular metal railing 40 x 40 x 1.5 mm., made of steel. Ref. 3036099.
- Baseboard or plinth, 150 mm wide x 1.5 mm thick, made of steel. Ref. 3040099.

Ref.		
3031099	1,20 x 0,40 x 0,40 m.	Pallets of 100 pcs.
3036099	2,50 x 0,40 x 0,40 m.	Pallets of 94 pcs.
3040099	2,50 x 0,15 m.	Pallets of 50 pcs.
2270799	130 x 41,5 mm.	Bag of 100 pcs.



Ref. 3040099

TELESCOPIC GUARDRAILS

Tested according to
EN 13374:2004 standard



The telescopic guardrail has been designed to protect and remove the danger of falling through openings to the outside, to empty space, etc. either during the execution of works or during repairs by teams of personnel that need that protection. The telescopic guardrail is manufactured in two sizes, from 0.60 to 0.95 m. and from 0.90 to 1.63 m.


Ref.		
3490099	0,60 - 0,95 m.	Box of 10 pcs.
3491099	0,90 - 1,63 m.	Box of 10 pcs.



SAFETY STRUT SUPPORTS

The JAR safety strut support is designed to protect openings in works.

This strut adapter support has been designed as an all-purpose size, so that it can be adapted to all types of struts that are available on the market today.



Ref.	
3460099	Pack of 10 pcs.

PROTECTIVE END CAP

Protective end cap 60 mm high and 35 mm diameter. The end caps are suitable for the ends of rods with a diameter between 12 and 30 mm. thanks to the 4 flexible fins inside.

Its use prevents the risk of being pierced in the event of a fall from height.



Ref.	
2250799	Varilla Ø of 12 a 30 mm. Bag of 100 pcs.



BARRIER TAPES*

- High quality **POLYETHYLENE**.
- 100% **RECYCLED** and **RECYCLABLE** material (in the signed references).
- **INKS** ultra resistant to UV rays and bad weather.
- **WATER-BASED INK**, a sustainable alternative that reduces environmental impact.

* **CUSTOMISABLE**: Consult the factory for the customisation of your tape.



BICOLOUR BARRIER TAPE

8 cm TAPE. WHITE - RED

Polyethylene sheet screen printed on both sides.



8 CM.

Ref.	↔	Gauge	L m	
4071099	8 cm.	400	250	10 rolls
4072099	8 cm.	200	250	10 rolls
4073099	8 cm.	200	200	10 rolls

8 cm TAPE. YELLOW - BLACK

Polyethylene sheet screen printed on both sides.



Ref.	↔	Gauge	L m	
4071899	8 cm.	400	250	10 rolls
4073899	8 cm.	200	200	10 rolls

10 cm TAPE. WHITE - RED

Polyethylene sheet screen printed on both sides. With box (ref. 4070099) or without box (ref. 4172099).



Ref. 4070099



Ref. 4172099

10 CM.

Ref.	↔	Gauge	L m	
4070099	10 cm.	400	250	4 rolls
4172099	10 cm.	300	200	8 rolls

10 cm TAPE. YELLOW - BLACK

Polyethylene sheet screen printed on both sides. It comes with a box.



Ref.	↔	Gauge	L m	
4070899	10 cm.	400	250	4 rolls

HIGH DENSITY TAPE (HD) WHITE - RED

Barrier tape printed on one side.
Width: 7 cm.



Ref.	↔	Gauge	L m	
4167099	7 cm.	130	200	10 rolls

ORANGE HIGH VISIBILITY TAPE

High visibility orange barrier tape.
Width: 8 cm.



Ref.	↔	Gauge	L m	
4165799	8 cm.	400	250	4 rolls

BARRIER TAPE

TAPES WITH MARKINGS



Screenprinted barrier tape with various markings.
Width 8 cm.



Ref. 4071399



Ref. 4071599



Ref. 4071799



Ref. 4071499



Ref. 4079099



Ref. 4076261

Ref.	↔	Gauge	L m	
4071399	8 cm.	400	250	10 rolls
4071599	8 cm.	400	250	10 rolls
4071799	8 cm.	400	250	10 rolls
4071499	8 cm.	400	250	10 rolls
4079099	8 cm.	400	250	4 rolls
4076261	10 cm.	200	100	8 rolls

MARKER CORD WITH TAGS

Marker cord with tags
With and without
reflective parts.
High resistance to
weather.
25 meter length tied up.
A bag includes
10 tied up pcs.



Ref. 2010099

Ref. 2011099

Ref.	Description	Atado	
2010099	Reflective	25 m.	Bag of 250 m.
2011099	Standard	25 m.	Bag of 250 m.

UNDERGROUND TAPES



Screenprinted barrier tape with various markings.
Width 15 cm.



Ref. 4092000



Ref. 4093000



Ref. 4095000



Ref. 4096000



Ref. 4097000



Ref. 4098000

Ref.	↔	Gauge	L m	
4092000	15 cm.	200	200	4 rolls
4093000	15 cm.	200	200	4 rolls
4095000	15 cm.	200	200	4 rolls
4096000	15 cm.	200	200	4 rolls
4097000	15 cm.	200	200	4 rolls
4098000	15 cm.	200	200	4 rolls

ADHESIVE TAPE

Adhesive marking tape. Available in two colours:
White/red and Yellow/black
Width: 5 cm.



Ref. 4160099

Ref. 4160899

Ref.	↔	L m	
4160099	5 cm.	27,5	6 rolls
4160899	5 cm.	27,5	6 rolls

TRAFFIC CONES

PVC TRAFFIC CONE - 300 mm.

One piece FLEXIBLE PVC cone with square base.
Height: 300 mm.



Ref.	Material	↑	Kg	Box
2015799	PVC	300 mm.	0,5	10 pcs. tied together
2020799	PVC	300 mm. b. reflect.	0,5	10 pcs. tied together

POLYETHYLENE TRAFFIC CONE - 500 mm.

One-piece polyethylene traffic cone with square base.
Height: 500 mm.

Orange.

Available in five models: no collar, one white collar, one reflective collar, two white collars and two reflective collars.



Ref.	↑	Kg	Box
2516799	500 mm white col.	0,5	Box of 10 pcs.
2517799	500 mm.	0,5	Box of 10 pcs.
2518799	500 mm refl. col.	0,5	Box of 10 pcs.
2522799	500 mm 2 white col.	0,5	Box of 10 pcs.
2523799	500 mm 2 refl. col.	0,5	Box of 10 pcs.

POLYETHYLENE TRAFFIC CONE - 750 mm.

Polyethylene cone with black rubber base (2 piece).
Height: 750 mm.

22 cm reflective collar

Class R1B according to UNE-EN 13422: 2007



Ref.	↑	Kg	Box
2520799	750 mm. b. reflect.	2,5	10 pcs. tied together

PVC TRAFFIC CONE - 500 mm.

One piece FLEXIBLE PVC cone with square base.
Height: 500 mm.

Available in five models: no collar, one white collar, one reflective collar, two white collars and two reflective collars.



Ref.	↑	Kg	Box
2016799	500 mm white col.	1,3	Box of 10 pcs.
2017799	500 mm.	1,3	Box of 10 pcs.
2018799	500 mm refl. col.	1,3	Box of 10 pcs.
2022799	500 mm 2 white col.	1,3	Box of 10 pcs.
2023799	500 mm 2 refl. col.	1,3	Box of 10 pcs.

POLYETHYLENE TRAFFIC CONE - 500 mm.

One-piece polyethylene traffic cone with square base.
Height: 500 mm. Blue

Available in 4 models: no collar, one white collar, one reflective collar and with "police" reflective collar.



Ref.	↑	Kg	Box
2516399	500 mm white col.	0,5	Box of 10 pcs.
2517399	500 mm.	0,5	Box of 10 pcs.
2518399	500 mm refl. col.	0,5	Box of 10 pcs.
2518399.POL	500 mm refl. POL. col.	0,5	Box of 10 pcs.

TELESCOPIC PLASTIC BARRIER FOR CONES

Telescopic plastic barrier with reflective bands. Length: 1.30 m. (minimum) 2.10 m. (extended).



Ref.	↔	Box
4602099	1,30 m. - 2,10 m.	Single

TRAFFIC BEACONS

- H-75 beacon made of a co-polymer of HDPE and EVA giving it **FLEXIBILITY, STRENGTH AND DURABILITY** in the face of external agents thanks to its UV treatment.
- Two high-density level II retro-reflective vinyl hoops.
- Anchoring element consisting of a 12 x 120 internally threaded metal post and, on the inside, a 100 mm Ø galvanised circular disk with a 12 x 30 protruding hexagonal head galvanised screw at the bottom of its central axis.
- H-75 spanner needed for anchoring.
- Manufactured according to the standards:
UNE 135 363: Cylindrical Beacons
UNE 135 330: Retro-reflective Materials
UNE 135 350: Softening temperature
UNE 53 118: Cold resistance
UNE 53 104: Ageing resistance
UNE 53 28: Water absorption



Ref.	↔	Colour	📦
2510399	745x20 cm.	Blue	Single
2510499	745x20 cm.	Green	Single
2510599	745x20 cm.	Red	Single
2509099	H-75 spanner		Single

SIGNALLING SPIKE

Metallic spike with reflective panel.
Height: 60 cm.



Ref.	↑	📦
3400099	60 cm.	Single

WARNING TUBE

High visibility plastic warning tube with reflective band.

Available in 2 sizes: 1 m and 2 m.

4 cm or 11 cm reflective band. Depending on model.



Inside measurement: Ø 22 mm
Exterior measurement: Ø 24 mm

Ref.	↑	↔	📦
2530099	1 m.	4 cm. reflective	25 pcs. tied together
2531099	1 m.	11 cm. reflective	25 pcs. tied together
2532099	2 m.	11 cm. reflective	25 pcs. tied together

WARNING CHAIN

PLASTIC CHAIN

White - red plastic chain.

Available in 3 sizes, depending on the link size.

Thanks to the characteristics of polyethylene, this chain can be used in various environments, for signalling both outdoors and indoors.



Ref. 4500199



Ref. 4501199



Ref. 4502199

Ref.	Mod.	↔	
4500199	104	Ø 6	Bag of 25m
4501199	105	Ø 7,5	Bag of 25m
4502199	106	Ø 10	Bag of 25m

Ref. 4506.099



PLASTIC COLUMN

White - red polyethylene column with a cap on the top for fixing the connecting ring.

It has a slightly conical shape: thinner at the top and wider at the bottom. The recommended distance between columns is about 2.5 m.

Ref. 4507899

RUBBER BASE

Solid black rubber base with central hole for inserting the column.

Size: 27 x 27 cm. Weight: 1.400 kg.

Ref.	↔		
4506099	90 cm.		Single
4507899	27 x 27 cm.	1,4 kg.	Single

CONNECTING RING

Rings for connecting the plastic chain to the column.



Ref.	Mod.	↔	A mm	B mm	
4503099	104	Ø 6	22	38	Single
4504099	105	Ø 7,5	28	48	Single
4505099	106	Ø 10	40	72	Single

ORANGE SAFETY MESH

- Delimiting hazardous areas, public works, ditches, road safety, etc.
- Flexible, lightweight and easy to install.
- Made of HDPE with UV stabiliser (greater resistance to sunlight)
- Mesh size: 65 x 35 mm.

Ref.	↔	Length	L m	
4917131	80 gr/m².	1 m. x 50 m.	50	1 roll



EXTENDING METAL FENCES

EXTENDING METAL FENCE

Reflective white and red metal extendable fence with removable feet.

Metal frame with 30x30x1.2 mm steel posts and 25x3 cm flat bar mesh.

Folded Dimensions: 25 cm

Extended Dimensions: 320 cm

Height: 100 cm

Features side plates for connecting sections together.



Ref.			
3600099	3,2 m.	1 m.	Single

EXTENDING 3-SIDED METAL FENCE

The white and red expandable perimeter fence with reflective material on its outer faces.

Extendable square-shaped fence with access to the interior from one side via a vertically folding plate that serves as a gate.

Folded Dimensions: 23.5 x 23.5 cm

Extended Dimensions: 100 x 100 cm

Height: 98 cm

An effective protection and signaling element, resistant to wind and weather.

(Easy to handle and practical assembly and transport)



Ref.			
3610099	1 x 1 m	0,98 m.	Single

EXTENDING PLASTIC FENCE

Extendable yellow and black plastic fence with reflective strips.

Folded dimensions: 25 cm

Extended dimensions: 250 cm

Height: 90 cm

Includes side pockets for filling with water and sand.



Ref.			
4600099	0,25 m. - 2,50 m.	0,90 m.	Single

ROADSIGN WITH ALUMINIUM HANDLE

STOP-GO SIGN WITH ALUMINIUM HANDLE

Octagonal plate printed on both sides with aluminium handle. Two models available: stop-go / stop-stop.



Ref.	Description	
4055099	Stop-Paso	Single
4055999	Stop-Stop	Single

ROADSIGN WITH PLASTIC HANDLE

Octagonal plate printed on both sides with plastic handle. Two models available: stop-paso/stop-stop.



Ref.	Description	
4053099	Stop-Paso	Single
4053999	Stop-Stop	Single

SIGNAL FLAG



Danger signalling flag with wooden handle. Available in 2 colours: yellow or orange.

Ref.	 	
1190299	Yellow	Single
1190799	Orange	Single

REFLECTIVE ROADSIGN WITH ALUMINIUM HANDLE

Reflective octagonal plate printed on both sides with aluminium handle.

Two models available: stop-paso/stop-stop.



Ref.	Description	
4065099	Stop-Paso	Single
4065999	Stop-Stop	Single

LAMP-BATTERY

LED lamp. It has two holes in the box: one of them for switching it on and off and the other to choose between fixed or flashing light.

There is a ring for easier handling or placement at the top.

It works with 1 type 4R25 battery.

Ref. 4080299



Ref. 4085099

Ref.	
4080299	Single
4085099	Single

LABEL HOLDER

Polyethylene label holder keyrings Available in 5 colours: white, yellow, blue, green and red. Supplied in bags of 100 pcs. (single colour) or display boxes of 500 pcs.



Ref.	Description	
2065199	Bag of blanca	100 pcs.
2065299	Bag of amarilla	100 pcs.
2065399	Bag of Blue	100 pcs.
2065499	Bag of Green	100 pcs.
2065599	Bag of roja	100 pcs.
2066099	Box of expositora	500 pcs.

LUMINOUS TRAFFIC ARROW

Luminous traffic arrow for road hazard signaling.

- 4 flash modes.
- USB rechargeable
- Integrated magnets
- Metal clip
- Visibility up to 1 km
- 32 LED lights



Ref.

4605099



Single

LARGE FORMAT CANVAS TO CUSTOMISE



Ref.	
4100200	Canvas 2,0 x 1,6 m.
4100200	Canvas 2,5 x 1,6 m.
4100100	CanvaS MICROPERFORATED 2,0 x 1,6 m.
4100100	CanvaS MICROPERFORATED 2,5 x 1,6 m.
4100100	CanvaS MICROPERFORATED 3,0 x 1,6 m.
4100100	CanvaS MICROPERFORATED 3,50 x 1,6 m.

Do you need a design? Do you prefer another material?

CONTACT US

CUSTOM SIGNAGE

**MADE IN
HOUSE**

CHOOSE YOUR SIZE. From A4 to 1.6 x 3.5 metres.

VARIOUS MATERIALS:

Canvas (microperforated option) - PVC sheet - Lacquered or natural aluminium panel - Foamed PVC

**For other materials please ask us*



SCAFFOLDING WARNING PANEL

PVC panel for placing on scaffolding.
Available in standard (Ref. 4060099) and reflective (Ref. 4061099) versions.



Ref.		
4060099	23 x 100 cm.	Single
4061099	23 x 100 cm. Reflect.	Single

OVERSIZED LOAD PANEL

Reflective oversize load panel.
Size: 50 x 50 cm.



Ref.		
3050099	50 x 50 cm.	Single

"WARNING SLIPPERY FLOOR" SIGN

Folding plastic "Warning Slippery Floor" sign. It has a hole at the top for moving it.



Ref.		
4057001	21 x 60 cm.	Box of 10 pcs.

PVC SIGN 70x50 cm

"WARNING ROADWORKS" SIGN

PVC sign 70 x 50 cm. "Warning Roadworks".



Ref.			
4058001	70 x 50 cm	0,4 mm.	Single

PVC SIGN 70x50 cm

"SE ALQUILA" (TO LET) SIGN

PVC sign 70 x 50 cm. "Se Alquila".



Ref.			
4058002	70 x 50 cm	0,4 mm.	Single

"SE VENDE" (FOR SALE) SIGN

PVC sign 70 x 50 cm. "Se Vende".



Ref.			
4058003	70 x 50 cm	0,4 mm.	Single

MULTIPLE NOTICE CANVAS SIGN 70x50 cm

"FORESTRY WORK" VERTICAL SIGN AND HORIZONTAL "MULTIPLE NOTICE"

Multiple notice canvas 50 x 70 cm.

Ref. 4159001



Ref. 4159903

Ref.			
4159001	70 x 50 cm.	Single	
4159903	50 x 70 cm.	Single	

PVC SIGN 70x50 cm

"HORIZONTAL MULTIPLE NOTICE" SIGN

PVC sign 70 x 50 cm. "Multiple".



Ref.			
4059001	70 x 50 cm	0,4 mm.	Single

PVC SIGN 100 x 70 cm / 70 x 100 cm

"HORIZONTAL MULTIPLE NOTICE" SIGN

PVC sign 100 x 70 cm. "Multiple".

Available in 2 thicknesses.



Ref.			
4056001	100 x 70 cm.	0,7 mm.	Single
4046001	100 x 70 cm.	0,4 mm.	Single

"VERTICAL MULTIPLE NOTICE" SIGN

PVC sign 70 x 100 cm.

"Multiple".

Available in 2 thicknesses.



Ref.			
4056901	70 x 100 cm.	0,7 mm.	Single
4046901	70 x 100 cm.	0,4 mm.	Single

MULTIPLE NOTICE CANVAS SIGN 100x68 cm / 68x100 cm

MULTIPLE NOTICE CANVAS SIGN

Canvas sign 100 x 68 cm, vertical and horizontal.
It has 4 eyelets to help to position it.

Ref.			
4156001	100 x 68 cm.	Single	
4156901	68 x 100 cm.	Single	



Ref. 4156001



Ref. 4156901

ALL SIGNS ARE CUSTOMIZABLE

SCREENPRINTED PLASTIC SIGNS

Ref.			
See pictogram	30 x 45 cm.	3,2 mm.	Single


*Signs according to ISO 7010:2012

 VADO PERMANENTE 4052001 No Parking	 VADO DE A 4052002 No Parking Between	 SALIDA DE EMERGENCIA 4052003 Exit Emergency	 APARCAMIENTO PARTICULAR 4052004 Private Parking	 EXTINTOR 4052005* Extinguisher	 PELIGRO CARGA SUSPENDIDA 4052006 Danger Overhead Load	 PELIGRO ELECTRICO 4052007* Danger High Voltage	 CAIDAS A DISTINTO NIVEL 4052008 Risk of Falling
 PELIGRO CAIDA DE OBJETOS 4052009 Falling Objects	 BOTIQUIN PRIMEROS AUXILIOS 4052010* First Aid	 RIESGO INTOXICACIÓN 4052011 Toxic Material	 PELIGRO MATERIAS EXPLOSIVAS 4052012* Explosive Materials	 PELIGRO DE INCENDIO 4052013 Flammable Materials	 PELIGRO MAQUINARIA PESADA EN MOVIMIENTO 4052014 Caution Heavy Equipment	 PELIGRO ZONA DE OBRAS 4052015 Caution Men at Work	 PELIGRO PASO DE CARRELLAS 4052016 Caution Fork Lift
 RIESGO DE ATMOSFERAS EXPLOSIVAS 4052017 Risk of explosive atmospheres	 PRODUCCIÓN FOTOVOLTAICA RIESGO ELECTRICO 4052018 Photovoltaic production electrical risk	 RESERVA DE SALVAMENTO 4052020 Rescue Instructions	 PUNTO DE ENCUENTRO 4052021 Meeting Point	 BOCA DE INCENDIO 4052025* Fire Hydrant	 PARKING 4052031 Restricted Parking Disabled	 USO OBLIGATORIO DEL CASCO 4052302 Wear Head Protection	 ES OBLIGATORIO EL USO DE LA MASCARA 4052303 Wear Respirator
 ES OBLIGATORIO EL USO DE PROTECCION ACUSTICA 4052304 Wear Ear Protection	 ES OBLIGATORIO EL USO DE PANTALLA PROTECTORA 4052305 Wear Face Shield	 ES OBLIGATORIO EL USO DE LAS BOTAS 4052306* Protective Footwear	 USO OBLIGATORIO DE GUANTES 4052307 Protective Gloves	 USO OBLIGATORIO DE GAFAS PROTECTORAS 4052308 Wear Eye Protection	 ES OBLIGATORIO ELIMINAR PUNTAS 4052309 Remove Sharp Points	 USO OBLIGATORIO ARNES DE SEGURIDAD 4052311* Use Safety Harness	 PASO OBLIGATORIO PARA PERSONAS 4052312* Pedestrians Left
 PASO OBLIGATORIO PARA PERSONAS 4052313* Pedestrians Right	 USO OBLIGATORIO DE MASCARILLA 4052314 Use of mask	 USO OBLIGATORIO DE ROPA PROTECTORA 4052316 Protective Clothes	 USO OBLIGATORIO DE GEL DESINFECTANTE 4052317 Hygiene gel	 PROHIBIDO PASAR SIN CASCO 4052502 No Entry Without Helmet	 PROHIBIDO ENCENDER FUEGO 4052503* No Naked Flames	 PROHIBIDO FUMAR 4052504* No Smoking	 PROHIBIDO CONECTAR SIN AUTORIZACION 4052505 Forbidden to Connect
 PROHIBIDO EL PASO A TODA PERSONA AJENA A LA EMPRESA 4052506* No Unauthorized Access	 PROHIBIDO EL PASO A TODA PERSONA AJENA A LA OBRA 4052507* No Unauthorized Access	 PROHIBIDO EL PASO 4052508* No Entry	 Entrada prohibida a personas no autorizadas 4052509 Unauthorized Access	 PROHIBIDO CAMARAS FOTOGRAFICAS 4052510 No Cameras	 PROHIBIDO TIRAR BASURAS Y ESCOMBROS 4052511 Throwing prohibited rubbish and debris		

SCREENPRINTED PLASTIC BAGS. METAL FRAME

Ref.			
See pictogram	21 x 29 cm	0,7 mm.	Single

*Signs according to ISO 7010:2012

 4105001 No Parking	 4105002 No Parking Between	 4105003 Exit Emergency	 4105004 Private Parking	 4105005* Extinguisher	 4105006 Overhead Load	 4105007* Danger High Voltage	 4105008 Risk of Falling
 4105009 Falling Objects	 4105010* First Aid	 4105011 Toxic Material	 4105012* Explosive Materials	 4105013 Flammable Materials	 4105014 Caution Heavy Equipment	 4105015 Caution Men at Work	 4105016 Caution Fork Lift
 4105017 Risk of explosive atmospheres	 4105018 Photovoltaic production electrical risk	 4105020 Rescue Instructions	 4105021 Meeting Point	 4105025* Fire Hydrant	 4105031 Restricted Parking Disabled	 4105302 Wear Head Protection	 4105303 Wear Respirator
 4105304 Wear Ear Protection	 4105305 Wear Face Shield	 4105306* Protective Footwear	 4105307 Protective Gloves	 4105308 Wear Eye Protection	 4105309 Remove Sharp Points	 4105311* Use Safety Harness	 4105312* Pedestrians Left
 4105313* Pedestrians Right	 4105314 Use of mask	 4105316 Protective Clothes	 4105317 Hygiene gel	 4105502 No Entry Without Helmet	 4105503* No Naked Flames	 4105504* No Smoking	 4105505 Forbidden to Connect
 4105506* No Unauthorized Access	 4105507* No Unauthorized Access	 4105508* No Entry	 4105509 Unauthorized Access	 4105510 No Cameras	 4105511 Throwing prohibited rubbish and debris		


SCREENPRINTED PLASTIC BAGS. METAL FRAME

Ref.		
See pictogram	65 x 65 cm.	Single
4051099	59 x 120 cm.	Single

Ref. "See pictogram"



Ref. 40510999

 4050001 Do Not Enter	 4050002 Stop	 4050003 One Way Right	 4050004 Danger	 4050005 Men at Work	 4050006 Speed Limit 40	 4050007 Speed Limit 60
 4050008 Road Narrows Both Sides	 4050009 No Overtaking	 4050010 Priority Passing	 4050011 No Parking	 4050012 Step in Road	 4050013 Slippery Road	 4050014 Speed Limit 20
 4050015 Danger Trucks	 4050016 Danger Truck Exit	 4050017 No Entry Blocked Road	 4050018 Speed Limit	 4050019 Landslides	 4050020 Blocked Pavement	 4050021 One Way Left
 4050022 Traffic Lights	 4050023 Road Narrows Right	 4050024 Road Narrows Left	 4050025 Give Way	 4050026 Hump	 4050027 No Stopping and Parking	 4050028 Speed Limit 50
 4050029 End Prohibitions	 4050030 No Circulation	 4050031 Parking Disabled	 4050032 Multi-signal	 4050033 Different Levels	 4050034 Heavy Machinery in motion	 4050035* Preference

METAL SIGNS. METAL SUPPORT

Ref. "See pictogram"






Ref. 4069099

REF. 4080299. Yellow work lamp for visual signal.

REF. 4085099. 4R25 battery for lamp.



Ref.		
See pictogram	61 x 65 cm.	Single
4069099	59 x 120 cm.	Single
4080299		Single
4085099		Single



PLASTIC SIGNS FOR WASTE

Ref.			
See pictogram	21 x 29 cm	0,7 mm.	Single


 ALUMINIO LER: ☐ 4105901 Aluminium waste management	 MADERA LER: ☐ 4105902 Wood waste management	 VIDRIO LER: ☐ 4105903 Glass waste management	 METAL LER: ☐ 4105904 Metal waste management	 PILAS LER: ☐ 4105905 Battery waste management	 CARTÓN LER: ☐ 4105906 Cardboard waste management	 ENVASES LER: ☐ 4105907 Packaging waste management
--	---	--	---	--	--	---

PHOTOLUMINESCENT POSTERS

Ref.			
See pictogram	210 x 297 mm.	0,7 mm.	Single

 EXTINTOR 4064501 Extinguisher	 EXTINTOR 4064502 Extinguisher Right	 EXTINTOR 4064503 Extinguisher Left	 EXTINTOR MOVIL 4064504 Mobile Extinguisher	 BOCA DE INCENDIO 4064505 Fire Hydrant	 PULSADOR DE ALARMA 4064506 Alarm button
---	---	--	--	---	---

 4064507 Fire Hydrant Right	 4064508 Fire Hydrant Left	 BOTIQUIN 4064411 First Aid	 SALIDA DE EMERGENCIA 4064408 Emergency exit	 SALIDA DE EMERGENCIA 4064409 Emergency exit Right	 SALIDA DE EMERGENCIA 4064410 Emergency exit Left
--	---	--	---	---	--

SALIDA 4064401 Exit	SALIDA 4064402 Exit Right	SALIDA 4064403 Exit Left	 4064404 Right door exit	 4064405 Left door exit	 4064406 Right emergency exit	 4064407 Left emergency exit
----------------------------------	--	---------------------------------------	---	---	--	---

 EXTINTOR CLASE AB 4064509 Extinguisher AB	 EXTINTOR CLASE ABC 4064510 Extinguisher ABC	 EXTINTOR CLASE B 4064511 Extinguisher B
--	--	--

CHALK LINE REELS



- Green case for perfect adjustment.
- Does not stain.
- Loaded with 60g of tracer powder (Ref. 2041399 BLUE powder. Ref. 2041599 RED powder).
- 20 metres of cotton line.
- High retention of excess material.

Ref.			
2041399	Blue ■		Box of 25 pcs.
2041599	Red ■		Box of 8 pcs.



Ref. 2041399

Ref. 2041599

CHALK LINE REEL WITH REFILL

20 metres of cotton line.
Includes 250 g chalk bottle.



Ref.		
2042099		Box of 22 pcs.

CHALK LINE REEL REFILL 250 g.

250 g chalk refill bottle.



Ref.			
4013099	250 gr.	Blue ■	Box of 25 pcs.
4013599	250 gr.	Red ■	Box of 25 pcs.

CHALK LINE REEL 50 m.

Chalk line reel with 50 metres of cotton line.
It includes gearing that triples the rewind speed.



Ref.		
4020099		Single

CHALK LINE REEL REFILL 1000 g.

1000 g chalk refill bottle.
Available in 3 colours: blue, ochre and red.



Ref.			
4011399	1.000 gr.	Blue ■	Box of 12 pcs.
4011299	1.000 gr.	Ocre ■	Box of 12 pcs.
4011599	1.000 gr.	Red ■	Box of 12 pcs.

CHALK LINE REEL REFILL 1000 g. EXTRA

1000 g chalk refill bottle.



Ref.			
4012099	1.000 gr.	Blue	Box of 12 pcs.

CHALK FIXER 5 L.

5 litre bottle chalk fixer.



Ref.		
4009099	5 l.	Box of 4 pcs.

CHALK FIXER 1 L.

1 litre chalk fixer spray bottle.



Ref.		
4010099	1 l.	Box of 12 pcs.

GUY ROPE COILS

Braided polypropylene rope in coils of 100 m.

Available in 4 colours:

White, yellow, blue and red.

Thickness: 2 mm.



Ref.				
4000199	100 m.	2 mm.	White 	10 rolls
4001299	100 m.	2 mm.	Yellow 	10 rolls
4001399	100 m.	2 mm.	Blue 	10 rolls
4001599	100 m.	2 mm.	Red 	10 rolls



CONTAINERS ECO

- **ERGONOMIC** handles.
- **VERSATILE** : multiples uses.
- **STACKABLE** : Conical shape.
- **RESISTANT** : with reinforcing ribs.
- **FLEXIBLE** material.
- **HARDNESS AND LIGHTNESS** : high-quality polyethylene.

Ref.			
2363899	40 litres	1 kg	10 pcs.
2365899	14 litres	0,5 kg	10 pcs.
2366899	26 litres	0,65 kg	10 pcs.

 **100%** RECYCLED AND RECYCLABLE MATERIAL



PLASTIC. High quality polyethylene giving the product strength and lightness.

BLACK PLASTIC CONTAINER 40 L.

Rugged and easy to handle plastic container. Rounded and ergonomic handles. Stackable.



 **100%** RECYCLED AND RECYCLABLE MATERIAL

Ref.			
2012899	40 litres	1,5 kg	10 pcs.

ITALIAN PLASTIC BUCKET 10 L.

Rugged and easy to handle plastic bucket. Galvanized metal handle. Reinforcing struts in walls.



 **100%** RECYCLED AND RECYCLABLE MATERIAL

Ref.		
2013899	10 litres	10 pcs.

10L ITALIAN RUBBER BUCKET

Durable and easy-to-handle rubber bucket. Galvanized metal handle. Reinforcing ribs on walls.

NEW



Ref.		
2608899	10 litres	10 pcs.

RUBBER. Elastic polymer that gives the product elasticity and strength.

BLACK RUBBER CONTAINER



Flexible and strong rubber container. Rounded and ergonomic handles. Stackable.

Ref.		
2009899	40 litres	10 pcs.

ITALIAN RUBBER BUCKET 10 L.



Flexible and strong rubber bucket. Galvanized metal handle. Reinforcing struts in walls.

Ref.		
2007899	10 litres	10 pcs.

RUBBER WATER BUCKET 15 L.



Stackable rubber bucket. Galvanized metal handle. Flexible and strong. **Graduation inside.**

Ref.		
2008899	15 litres	10 pcs.

BUCKETS AND CONTAINERS SUITABLE FOR FOOD

- Manufactured according to regulations **CE** No. 2023/2006 and **CE** No.10/2011.
- Comply with the specific limits set.
- The materials used are authorised in regulations **CE** No. 10/2010 and **CE** No.1935/2004.
- Health registration number: 39.005696/NA.



PLASTIC CONTAINER 40 L.



Non-toxic, flexible and lightweight plastic container. Rounded and ergonomic handles. Stackable. Available in white.



Ref.			
2006199	40 litres	1,430 kg	10 pcs.

PLASTIC CONTAINER 40 L.



Non-toxic, flexible and lightweight plastic container. Rounded and ergonomic handles. Stackable. Available in blue.



Ref.			
2006399	40 litres	1,430 kg	10 pcs.



PLASTIC BUCKET 15 L.



Flexible and lightweight non-toxic plastic bucket. Stainless steel handles Stackable. Available in white.

Ref.		
2014199	15 litres	10 pcs.

EXPOSITOR MULTIPURPOSE CONTAINERS

EXPOSITOR MULTIPURPOSE CONTAINERS 40 L.

CONTIENE (48 unids.):

- 1 Box expositor + Display
- 6 Multipurpose 40L. WHITE
- 6 Multipurpose 40L. YELLOW
- 6 Multipurpose 40L. BLUE
- 6 Multipurpose 40L. GREEN
- 6 Multipurpose 40L. RED
- 6 Multipurpose 40L. LIGHT GREEN
- 6 Multipurpose 40L. LIGHT BLUE
- 6 Multipurpose 40L. MAGENTA

Ref.		
2359099	A (135 cm.) x B (50 cm.) x C (50 cm.)	1 ud.



MULTIPURPOSE CONTAINERS

These containers are made of low-density polyethylene (LDPE) materials.

- Capacity 40 litres
- Flexible and resistant material
- Ergonomic handles
- Conical shape for easy stacking
- Bevelled edge for easy pouring
- Very versatile, suitable for multiple uses
- Available in different colours



Ref.	Colour			
2362001	Intense white	40 litres	1 kg	10 pcs.
2362003	Light blue	40 litres	1 kg	10 pcs.
2362004	Light green	40 litres	1 kg	10 pcs.
2362009	Magenta	40 litres	1 kg	10 pcs.



Ref. 2362001



Ref. 2362003



Ref. 2362004



Ref. 2362009

COLOURED CONTAINERS 14 L, 26 L, 40 L. Flexible and lightweight plastic containers with rounded and ergonomic handles. Very versatile product Available in yellow, blue, green and red.

YELLOW PLASTIC CONTAINER



Ref.			
2360299	14 litres	0,5 kg	10 pcs.
2361299	26 litres	0,650 kg	10 pcs.
2362299	40 litres	1,000 kg	10 pcs.

BLUE PLASTIC CONTAINER



Ref.			
2360399	14 litres	0,5 kg	10 pcs.
2361399	26 litres	0,650 kg	10 pcs.
2362399	40 litres	1,000 kg	10 pcs.

GREEN PLASTIC CONTAINER



Ref.			
2360499	14 litres	0,5 kg	10 pcs.
2361499	26 litres	0,650 kg	10 pcs.
2362499	40 litres	1,000 kg	10 pcs.


RED PLASTIC CONTAINER



Ref.			
2360599	14 litres	0,5 kg	10 pcs.
2361599	26 litres	0,650 kg	10 pcs.
2362599	40 litres	1,000 kg	10 pcs.

LEVELING SYSTEM

Quick **LEVELING SYSTEM** for the installation of ceramic tiles that, in addition to reducing laying times, ensures flatness across tiles and prevents movement while the mortar sets. Suitable for installation both vertically and horizontally and for all types of tiles (ceramic, stone, porcelain, marble, granite, etc.). It is very simple to use:



LEVELING BASES

The 0.5 mm, 1 mm, 1.5 mm, 2 mm and 3 mm leveling bases are suitable for tiles from 3 mm to 12 mm. The 5mm leveling bases are suitable for tiles from 6mm a 15 mm.



Ref.	↔	📦
2240099	Bag of of 0,5 mm	Bag of 100 pcs.
2220099	Bag of of 1 mm	Bag of 100 pcs.
2221099	Bag of of 1,5 mm	Bag of 100 pcs.
2222099	Bag of of 2 mm	Bag of 100 pcs.
2223099	Bag of of 3 mm	Bag of 100 pcs.
2241000	Bag of of 0,5 mm	Bag of 250 pcs.
2230000	Bag of of 1 mm	Bag of 250 pcs.
2231000	Bag of of 1,5 mm	Bag of 250 pcs.
2232000	Bag of of 2 mm	Bag of 250 pcs.
2233000	Bag of of 3 mm	Bag of 250 pcs.
2247000	Bag of of 5 mm	Bag of 250 pcs.
2242099	Bag of of 0,5 mm	Bag of 2000 pcs.
2243099	Bag of of 1 mm	Bag of 2000 pcs.
2244099	Bag of of 1,5 mm	Bag of 2000 pcs.
2245099	Bag of of 2 mm	Bag of 2000 pcs.
2246099	Bag of of 3 mm	Bag of 2000 pcs.

ADDITIONAL INFORMATION:

FULL BOX de bag de 100 pcs.: 25 bag

FULL BOX de bag de 250 pcs.: 14 bag

STONE LEVELING BASES

The 1 mm XL stone leveling base is suitable for tiles from 13 mm to 22 mm thick.

The 1 mm XXL stone leveling base is suitable for ceramics from 23 mm to 32 mm thick.

Ref.	↔	Mod.	📦
2235099	1 mm.	XL	Bag of 100 pcs.
2236099	1 mm.	XXL	Bag of 100 pcs.



ADDITIONAL INFORMATION: FULL BOX of model XL: 30 bag // FULL BOX of model XXL de 250 pcs.: 24 bag

LEVELING SYSTEM

LEVELING PLIERS



Ref.	
2225099	Single

LEVELING WEDGES

The leveling wedges are adjusted to the base with the leveling pliers. Its saw teeth make the adjustment perfect.



Ref.	
2224099	Bag of 100 pcs.
2234099	Bag of 300 pcs.

ADDITIONAL INFORMATION:
FULL BOX de bag de 100 pcs.: 20 bag
FULL BOX de bag de 300 pcs.: 7 bag

LEVELING PROTECTION DISC

A piece designed to protect the tile when using the leveling system. Particularly suitable for delicate ceramics to avoid damaging the edges. It also avoids possible scratches on natural stone.

Ref.	
2258099	Bag of 100 pcs.




A (cm)	Number of pieces required (m ²)																		
10	200																		
15	133	89																	
20	100	67	50																
25	80	53	40	32															
30	100	44	40	33	33														
35	100	67	50	40	29	28													
40	100	67	50	40	33	29	25												
45	89	59	44	36	30	25	22	20											
50	80	53	40	32	27	23	20	18	16										
55	73	48	36	29	24	21	18	16	15	13									
60	75	50	37	30	25	21	19	17	15	14	13								
65	69	46	35	28	23	20	17	15	14	13	12	11							
70	71	48	36	29	24	20	18	16	14	13	12	11	10						
80	69	46	34	28	23	20	17	15	14	12	11	11	10	9					
90	61	41	31	24	20	17	15	14	12	11	10	9	9	8	7				
100	60	40	30	24	20	17	15	13	12	11	10	9	9	8	7	6			
110	59	39	30	24	20	17	15	13	12	11	10	9	8	7	7	6	5		
120	54	36	27	22	18	15	14	12	11	10	9	8	8	7	6	5	5	5	
	10	15	20	25	30	35	40	45	50	55	60	65	70	80	90	100	110	120	B (cm)

PIEZAS
PIÈCES
PIÈCES



Ex: A (60) x B (50) = 15 ud/m²



LEVELING KIT

Leveling system kit available in 4 sizes.



Ref.		
2226099	Bag of of 1 mm	100 bases + 100 wedges + 1 pair of pliers
2227099	Bag of of 1,5 mm	100 bases + 100 wedges + 1 pair of pliers
2228099	Bag of of 2 mm	100 bases + 100 wedges + 1 pair of pliers
2229099	Bag of of 3 mm	100 bases + 100 wedges + 1 pair of pliers

LEVELING BRACKET

This piece is indicated to facilitate the laying of tiles that form 90° angles (inside or outside corners), leaving a perfectly square edge. It has wide slots to facilitate the positioning of the leveling feet.

Ref.	
2259099	Bag of 25 pcs.



HOW
TO USE VIDEO

TROWELS • FLOATS • SPONGES

ANGLED TROWEL

Roughened base. Especially suitable for plaster and mortar finishes.



Ref.		
2050099	265 x 140 mm	Box of 20 pcs.
2550099	265 x 140 mm	Pack of 10 pcs.

SMOOTH TROWEL

Smooth base. Especially suitable for smooth plaster and mortar finishes.



Ref.		
2056099	360 x 190 mm	Box of 24 pcs.
2060099	275 x 155 mm	Box of 16 pcs.
2556099	360 x 190 mm	Pack of 10 pcs.
2560099	275 x 155 mm	Pack of 10 pcs.

POLYETHYLENE TROWEL

ANGLED AND RECTANGULAR MESH

Especially suitable for plasters and swirling all mortar finishes. Its design, density and hardness gives a very smooth finish. Density 39.

Ref.		
2045099	225 x 120 mm	Box of 22 pcs.
2545099	225 x 120 mm	Pack of 10 pcs.
2046099	230 x 120 mm	Box of 22 pcs.
2546099	230 x 120 mm	Pack of 10 pcs.



Ref. 2046099 - 2546099

Ref. 2045099 - 2545099

RECTANGULAR TROWEL

Roughened base. Especially suitable for plaster and mortar finishes.



Ref.		
2051099	275 x 185 mm	Box of 36 pcs.
2052099	330 x 220 mm	Box of 22 pcs.
2551099	275 x 185 mm	Pack of 10 pcs.
2552099	330 x 220 mm	Pack of 10 pcs.

POLYURETHANE TROWEL

Especially suitable for plasters and all mortar finishes. Its density and hardness gives a very smooth finish.



Ref.		
2049099	320 x 180 mm	Box of 30 pcs.

FLOAT WITH SCOURERS

Float with abrasive scourers, especially suitable for cleaning and finishing joints.



*1 pack = 3 scourers

Ref.		
2564099	240 x 120 mm.	Pack of 10 pcs.

Replacement packs of 3 scourers available in 4 versions, Mixed, soft, medium and hard.

Ref.			
2565099	240 x 120 mm.	10 packs	Mixed
2565199	240 x 120 mm.	10 packs	Soft
2565299	240 x 120 mm.	10 packs	Medium
2565399	240 x 120 mm.	10 packs	Hard

ESPONJAR (SPONGE)

Sponge for cleaning and finishing joints. Two versions:

- Plain sponge - Ref. 4570099.
- Dual-purpose sponge (sponge + polyester) - Ref. 4571099.



Ref. 4570099

Ref. 4571099

Ref.		
4570099	190 x 130 x 65 mm.	Box of 24 pcs.
4571099	190 x 130 x 65 mm.	Box of 24 pcs.

PLAIN ESPONJAR (SPONGE) DISPLAY BOX

Sponges for cleaning and finishing joints. Two versions:

- Plain sponge - Ref. 4572099.
- Dual-purpose sponge (sponge + polyester) - Ref. 4573099.



Ref.		
4572099	60 x 40 x 95 mm.	Box of 135 pcs.
4573099	60 x 40 x 95 mm.	Box of 135 pcs.

TROWELS • FLOATS • SPONGES

TROWEL WITH FLEXIBLE EDGES

Especially suitable for fine plaster finishes.

Ref.		
2048099	300 x 140 mm	Box of 24 pcs.
2548099	300 x 140 mm	Pack of 10 pcs.



FINE PLASTERING TROWEL

Especially suitable for fine plaster finishes.

Ref.		
2054099	500 x 250 mm	Box of 8 pcs.



RUBBER FACED FLOAT

Float for grouting ceramics.

Ref.		
2059099	250 x 110 mm	Single



FLOAT WITH SQUARE CUT SPONGE

Float for cleaning and finishing joints.
Longitudinal cuts to collect dirt
and swirl all types of mortar.

Ref.		
2541099	290 x 170 mm.	Box of 22 pcs.
2561099	290 x 170 mm.	Pack of 10 pcs.



SOLID RUBBER TROWEL / SPARE

Especially suitable for applying Epoxy.

Ref.		
2062099	255 x 115 mm.	Single
2063099	255 x 115 mm.	Pack of 5 pcs.

Ref. 2062099



Ref. 2063099

LATEX FLOAT

Ideal for giving a fine finish in the floating and perfect
for applying grout, thanks to its consistency and low
absorption.

Ref.		
2058099	290 x 170 mm	Box of 12 pcs.



RUBBER FLOAT

Float for cleaning and finishing joints and swirling of all
types of mortar.

Ref.		
2047099	260 x 120 mm	Box of 12 pcs.



FLOAT WITH SPONGE

Float for cleaning and finishing joints
and swirling of all types of mortar.

Ref.		
2057099	290 x 170 mm.	Box of 20 pcs.
2557099	290 x 170 mm.	Pack of 10 pcs.



TROWELS • FLOATS • SPONGES

STAINLESS STEEL TROWEL 270x130 mm

NEW

Stainless steel trowel with rectangular teeth and an ergonomic handle for spreading and smoothing cement, mortar, plaster, and other materials. The most commonly used for laying ceramic tiles. The size you choose will depend on the type of tile being laid: the larger the tile, the larger the trowel teeth should be.

Ref. 2566006



Ref. 2566008



Ref. 2566010



Ref.	↔	Tooth size	📦
2566006	270x130 mm	6 mm	10 ud
2566008	270x130 mm	8 mm	10 ud
2566010	270x130 mm	10 mm	10 ud

RASTRILLO DE MADERA

Rastrillo de madera (2 tamaños) y mango para rastrillo.

Ref. 4091099



Ref. 4088099 - 4090099



Ref.	↔	📦
4090099	45 cm.	Single
4088099	60 cm.	Single
4091099	145 cm.	Single

CLEANING BUCKET

24-litre capacity bucket for cleaning all types of surfaces. It includes a grid and a double perforated roller. It has a handle to help carrying. Optional: 4 swivel castors, 2 with brakes.



Ref.	Description	↔	Capacity	📦
2570099	Without wheels	52x30x27 cm.	24 l	Single.
2571099	With wheels	52x30x27 cm.	24 l	Single.

CLEANING BUCKET KIT

24 litre capacity bucket for cleaning all types of surfaces.. It has a handle to help carrying and includes 4 swivel castors (2 with brakes), a grid and a double perforated roller, a float with sponge, a rubber faced float and sponge esponjar.



Ref.	↔	Capacity	📦
2573099	52x30x27 cm.	24 l	Single.

CROSS SPACERS

CROSS SPACERS 1, 2 and 3 mm.

Used for laying ceramic floor and wall tiles.



Ref.	↔	
2111099	1 mm.	Bag of 300 pcs.
2201099	1 mm.	Bag of 1.000 pcs.
2112099	2 mm.	Bag of 300 pcs.
2202099	2 mm.	Bag of 1.000 pcs.
2113099	3 mm.	Bag of 300 uds
2203099	3 mm.	Bag of 1.000 pcs.

"T" SPACERS 1, 2 and 3 mm.

Used for laying ceramic floor and wall tiles.

Especially suitable for the placement of discontinuous and edge pieces.



Ref.	↔	
2131099	1 mm. with expos.	Bag of 300 pcs.
2132099	2 mm. with expos.	Bag of 300 pcs.
2133099	3 mm. with expos.	Bag of 300 pcs.

TILING WEDGES

Used for laying ceramic floor and wall tiles.



Ref.	
2214099	Bag of 300 pcs. con exp.
2216099	Bag of 1.000 pcs.

CROSS SPACERS 5, 7 and 10 mm.

Used for laying ceramic floor and wall tiles.



Ref.	↔	
2105099	5 mm.	Bag of 300 pcs.
2115099	5 mm. with expos.	Bag of 100 pcs.
2205099	5 mm.	Bag of 1.000 pcs.
2107099	7 mm.	Bag of 300 pcs.
2117099	7 mm. with expos.	Bag of 100 pcs.
2207099	7 mm.	Bag of 1.000 pcs.
2110099	10 mm.	Bag of 300 pcs.
2120099	10 mm. with expos.	Bag of 50 pcs.
2210099	10 mm.	Bag of 1.000 pcs.

CROSS SPACER DISPLAY BOX

- Stackable.
- Size 30 x 30 x 40 cm.



Ref.	↔	
2161099	1 mm.	60 Bag ofs x 300 pcs.
2162099	2 mm.	50 Bag ofs x 300 pcs.
2163099	3 mm.	40 Bag ofs x 300 pcs.
2165099	5 mm.	40 Bag ofs x 100 pcs.
2167099	7 mm.	20 Bag ofs x 100 pcs.
2170099	10 mm.	25 Bag ofs x 50 pcs.
2218099	Cuñas	75 Bag ofs x 300 pcs.

EDGE GUARDS • JOINTS • SPACERS • PROFILE JIB

PVC EDGE GUARDS

Specially recommended for corners and wall coverings. Also a solution for framing them.



Ref.	A mm	L mm			
2080007	10	2.600	White		Box of 100 pcs.
2080004	10	2.600	Beige		Box of 100 pcs.
2080002	10	2.600	Cream		25 pcs. tied together
2080003	10	2.600	Light grey		25 pcs. tied together
2080006	10	2.600	Red		25 pcs. tied together
2080008	10	2.600	Black		25 pcs. tied together
2080011	10	2.600	Green		25 pcs. tied together
2080010	10	2.600	Brown		25 pcs. tied together
2080012	10	2.600	Blue		25 pcs. tied together



PVC FAÇADE PROFILE JIB

Used in monolayer coatings.

By placing it before applying the façade coating, any possible problems of incompatibilities between the various materials are avoided.

Solve the problem of meeting boards in discontinuous coatings.


Once removed, it gives a uniform appearance for the whole coating.



Ref.	A mm	B mm	C mm	L m	
2350099	15	18	8	2	100 pcs. tied together.

EXPANSION JOINT

Profile made of co-extruded PVC. It is used on paving to allow for thermal contraction and expansion of the ceramic.



Ref.		L m	
4425099	25 x 8 mm	2,5	40 pcs. tied together
4435099	35 x 8 mm	2,5	40 pcs. tied together
4445099	45 x 8 mm	2,5	40 pcs. tied together

PAVING SEPARATOR

Paving separators are the items that are sandwiched between the paving blocks and that allow the block to be fitted into position and that the joint width is always the same.



Ref.	
2025699	Box of 425 pcs.

PVC FAÇADE PROFILE JIB, HALF ROUND

Used in monolayer coatings.

By placing it before applying the façade coating, any possible problems of incompatibilities between the various materials are avoided.

Solve the problem of meeting boards in discontinuous coatings.

Once removed, it gives a uniform appearance for the whole coating.



Ref.	A mm	B mm	C mm	L m	
2351099	15	18	8	2	100 pcs. tied together.

PVC EDGE GUARDS • MESH • EXTERIOR

PVC EDGE GUARD FOR PLASTERBOARD

Applied to plasterboard coatings.
Recommended for indoor use. Protects against shocks and impacts.
Installed discreetly in corner coatings.



Ref.	A mm	B mm	L m	
2710099	21	1	2,5	Box of 100 pcs.
2711099	21	1	2,6	Box of 100 pcs.

PVC EDGE GUARD


Used in plaster coatings.
Recommended for indoor application.
Protects against bumps and impacts.



Ref.	A mm	B mm	L m	
2400099	25	30	2	Box of 100 pcs.
2450099	25	30	2,5	Box of 100 pcs.
2460099	25	30	2,6	Box of 100 pcs.
2470099	25	30	2,7	Box of 100 pcs.
2480099	25	30	2,8	Box of 100 pcs.
2500099	25	30	3	Box of 100 pcs.

MESH CORNER GUARD

Edge guard for corners when applying plaster and interior finishes.
It is positioned to be hidden at coating corners. Protects against bumps and impacts.



Ref.	A mm	B mm	L m	
3250099	27	34	2,5	Box of 100 pcs.
3260099	27	34	2,6	Box of 100 pcs.
3270099	27	34	2,7	Box of 100 pcs.
3280099	27	34	2,8	Box of 100 pcs.
3300099	27	34	3	Box of 100 pcs.

PVC EXTERIOR EDGE GUARD


Used in monolayer coatings and façades in general. It is positioned at edges leaving the exterior part in sight at coating corners. Recommended for exterior and interior use. Protects against bumps and impacts.



Ref.	A mm	B mm	C mm	L m	
2700007	25	35	8	2,5	Box of 50 pcs.

HIDDEN EXTERIOR PVC EDGE GUARD

Used in monolayer coatings and façades in general.
It is positioned to be hidden at coating corners. Recommended for exterior and interior use. Protects against bumps and impacts.



Ref.	A mm	B mm	C mm	L m	
2705007	25	35	8	2,5	Box of 50 pcs.

EXTERIOR GALVANISED CORNER GUARD WITH PVC

Used in monolayer coatings and façades in general. It is positioned at edges leaving the exterior part in sight at coating corners. Recommended for exterior and interior use. Protects against bumps and impacts. White PVC edge.



Ref.	A mm	B mm	C mm	L m	
3500007	25	38	8	2,5	Box of 25 pcs.

MASTER LEVEL • CHAMFER STRIPS

PVC MASTER LEVEL

Positioned before applying all types of coatings, it acts as a master guide facilitating a uniform finish thickness. Once the coating has been applied the piece is completely hidden.




Ref.	↔	📦
2085099	2,5 m.	Box of 100 pcs.

CHAMFER STRIP

Triangular PVC profile that is placed on the formwork to chamfer angles.



Ref.	↔	L m	📦
2088099	15 mm.	2,5	Box of 50 pcs.
2089099	20 mm.	2,5	Box of 50 pcs.
2090099	25 mm.	2,5	Box of 50 pcs.
2091099	30 mm.	2,5	Box of 50 pcs.



METAL MASTER LEVEL


Positioned before applying all types of coatings, it acts as a master guide facilitating a uniform finish thickness. Once the coating has been applied the piece is completely hidden.




Ref.	↔	L m	📦
3450099	6 mm.	2,5	50 pcs. tied together
3451099	10 mm.	2,5	50 pcs. tied together

CHAMFER STRIP WITH WING

Triangular PVC profile that is placed on the formwork to chamfer angles.



Ref.	↔	L m	📦
2094099	20 mm.	2,5	Box of 50 pcs.
2095099	25 mm.	2,5	Box of 25 pcs.
2096099	30 mm.	2,5	Box of 25 pcs.



CHAMFER STRIP WITH WING AND FLEXIBLE EDGES

Triangular PVC profile that is placed on the formwork to chamfer angles.



Ref.	↔	L m	📦
2098099	Curvo 20 mm.	2,5	Box of 50 pcs.

PLASTIC FORMWORK • TUBOPACK


FORMWORK TUBE

PVC tube for formwork.

It comes in 2 lengths: 2 m and 3 m

Interior size: Ø 22

Exterior size: Ø 24



Ref.	↔	📦
2073099	2 m.	50 m tied together
2074099	3 m.	75 m tied together

FORMWORK KIT

Formwork kit consisting of:

- 100 40 cm tubes.
- 200 formwork cones.
- 200 formwork plugs.



Ref.	↔	📦
2075099	40 cm.	Bag of 100 pcs.

FORMWORK PANEL PLUG

Formwork panel plug.



Ref.	Ø inter.	Ø exter.	📦
2265000	13 mm.	15 mm.	Bag of 500 pcs.

PHENOLIC FORMWORK PLUG

Formwork plug for tube.



Ref.	Ø inter.	Ø exter.	📦
2262000	20 mm.	22 mm.	Bag of 500 pcs.

PHENOLIC FORMWORK CONE

Formwork cone for tube.



Ref.	Ø inter.	Ø exter.	📦
2261000	20 mm.	22 mm.	Bag of 500 pcs.

TUBOPACK

The tubopack comes in 4 sizes:

200 mm, 250 mm, 300 mm and 350 mm.

Each bag contains:

100 pieces tube + 200 plugs.



Ref. 2263099


Ref.	Ø inter.	↔	📦
2280099*	22 mm.	200 mm.	Bag of 100 pcs.
2281099*	22 mm.	250 mm.	Bag of 100 pcs.
2282099*	22 mm.	300 mm.	Bag of 100 pcs.
2283099*	22 mm.	350 mm.	Bag of 100 pcs.
2263099	Plug 24 mm..		Bag of 200 pcs.

* Plugs included.

PLASTIC SPACERS

TIMÓN SPACER

Wall spacer, Timón model.



Ref.	↔	Ø rod mm.	📦
2031000	15 mm.	From 3 to 8	Bag of 500 pcs.
2032000	20 mm.	From 3 to 10	Bag of 500 pcs.
2033000	25 mm.	From 5 to 12	Bag of 500 pcs.
2034000	30 mm.	From 6 to 14	Bag of 500 pcs.
2035000	35 mm.	From 6 to 16	Bag of 500 pcs.
2038000	40 mm.	From 8 to 18	Bag of 250 pcs.
2039000	50 mm.	From 10 to 20	Bag of 125 pcs.
2027000	60 mm.	From 12 to 22	Bag of 125 pcs.
2024000	70 mm.	From 12 to 25	Bag of 100 pcs.

CONDOR SPACER

Floor spacer, Condor model.



Ref.	↔	Ø rod mm.	📦
2030000	20 mm.	Up to 22	Bag of 500 pcs.
2028000	30 mm.	Up to 22	Bag of 500 pcs.
2036000	40 mm.	Up to 25	Bag of 500 pcs.
2026000	50 mm.	Up to 25	Bag of 250 pcs.

LINEAR SEPARATOR

Floor separator. High resistance. Easy and quick installation.



Ref. 2923099

Ref. 2919099-2920099-2921099-2922099

Ref.	↔	L m	📦
2919099	25 mm.	2	100 pcs. tied together
2920099	30 mm.	2	40 pcs. tied together
2921099	35 mm.	2	40 pcs. tied together
2922099	40 mm.	2	40 pcs. tied together
2923099	50 mm.	2	40 pcs. tied together

NEW MEASURE

UNIVERSAL SPACER

Floor spacer, Universal model.

It can space by 10, 15, 20 or 25 mm., Depending on how it is positioned.



Spacing
25 mm.

Spacing
10 mm.

Ref.	↔	Ø rod mm.	📦
2029000	10 - 25 mm.	Up to 18	Bag of 500 pcs.

TORRE-40 SPACER

Floor spacer. Torre model.



Ref.	↔	Ø rod mm.	📦
2037000	40 mm.	20 - 32	Bag of 500 pcs.

MALLAZO SPACER

Floor spacer, Mallazo model.

At the ends it has tabs to join them one to another to get the desired length.
20 mm spacing.



Ref.	↔	📦
2040000	33,33 cm.	Bag of 125 pcs.

CONCRETE SPACERS

CUBITO CONCRETE SPACERS

Floor spacer, Cubito model.



Ref.	↔		
2720099	20 mm.	Sack of 500 pcs.	13
2725099	25 mm.	Sack of 400 pcs.	21
2730099	30 mm.	Sack of 300 pcs.	21
2735099	35 mm.	Sack of 250 pcs.	22
2740099	40 mm.	Sack of 200 pcs.	21
2750099	50 mm.	Sack of 150 pcs.	25

TRIDISIN SPACER

Floor spacer, Tridisin model.

It can space by 35, 40 or 50 mm, depending on how it is positioned.



Ref.	↔		
2790099	35 x 40 x 50 mm.	Sack of 250 pcs.	23

TACO SPACER

Wall spacer with wire, Taco model.



Ref.	↔		
2825099	25 mm.	Bag of	28
2830099	30 mm.	Sack of 300 pcs.	20
2840099	40 mm.	Sack of 200 pcs.	20
2850099	50 mm.	Sack of 150 pcs.	25

FORMWORK CAPSULE

Plastic capsule with protective cap, 130 mm high x 41.5 mm interior, for embedding in concrete.



Ref.	
2270799	Bag of of 100 pcs.

PROTECTIVE END CAPS

Protective end cap 60 mm high and 35 mm diameter.

The end caps are suitable for the ends of rods with a diameter between 12 and 30 mm. thanks to the 4 flexible fins inside.

Its use prevents the risk of being pierced in the event of a fall from height.



Ref.	
2250799	Bag of of 100 pcs.

VENTS

SQUARE VENT

Square plastic vents with no frame.



Model:
Z-100
4521199



Model:
Z-200
4523199

Ref.	Inside	Abroad	
4521199	14,5 x 14,5 cm.	17 x 17 cm.	Box of 50 pcs.
4523199	19,5 x 19,5 cm.	22,5 x 22,5 cm.	Box of 25 pcs.

RECTANGULAR VENT

Rectangular plastic vents.

2 models available: A-200 and F-200.



Model:
A-200
with frame
4520199



Model:
F-200
with frame
and closure
4524199

Ref.	Inside	Abroad	
4520199	9,8 x 22,5 cm.	12 x 24,5 cm.	Box of 45 pcs.
4524199	9,8 x 22,5 cm.	12 x 24,5 cm.	Box of 45 pcs.

ROUND VENT

Round plastic vents with frame.



Model:
A-200R
4522199

Ref.	Inside	Abroad	
4522199	Ø 16 int.	Ø 18,5 ext.	Box of 45 pcs.

MOSQUITO NET

Plastic mosquito net for vent.

Suitable for models: A-200 and F-200.



Model:
mosquitero
4525199

Ref.	Inside	Abroad	
4525199	8,5 x 21,1 cm.	9 x 21,8 cm.	Box of 50 pcs.

SIEVES

SMALL SIEVE RIM

Ø 400 mm plastic sieve rim.

* Base not included.



Ref.		
2068799	Ø 400	Single

BIG SIEVE RIM

Ø 550 mm plastic sieve rim.

* Base not included.



Ref.		
2070799	Ø 550	Box of 6 pcs.

SIEVES

METAL SIEVE BASE



SMALL Ø400

Ref.	↔	N. ^{os}	
2069004	Ø 400	5 x 5 mm	Single
2069006	Ø 400	4 x 4 mm	Single
2069008	Ø 400	3 x 3 mm	Single
2069010	Ø 400	2,5 x 2,5 mm	Single
2069012	Ø 400	2 x 2 mm	Single
2069014	Ø 400	1,8 x 1,8 mm	Single
2069016	Ø 400	1,5 x 1,5 mm	Single

BIG Ø550

Ref.	↔	N. ^{os}	
2071004	Ø 550	5 x 5 mm	Single
2071006	Ø 550	4 x 4 mm	Single
2071008	Ø 550	3 x 3 mm	Single
2071010	Ø 550	2,5 x 2,5 mm	Single
2071012	Ø 550	2 x 2 mm	Single
2071014	Ø 550	1,8 x 1,8 mm	Single
2071016	Ø 550	1,5 x 1,5 mm	Single

METAL FORMWORK

FORMWORK CLAMP

Extra model clamp, with spring for rods up to 10 mm.



Ref.	
3020099	Box of 50 pcs.

LEVER TENSIONER

Lever tensioner for extra clamp. For tightening with a flat, smooth rod between 5 and 10 mm thick.



Ref.	
4042099	Single

SCREW TENSIONER

Screw tensioner for extra clamp. For tightening with a flat, smooth rod between 5 and 10 mm thick.



Ref.	
4041099	Single

PERFORATED STRIP




Ref.	↔	L m	
3003099	Thickness 05	100	100 m roll
3004099	Thickness 07	50	2 50 m rolls
3005099	Thickness 07	100	100 m roll

Manufactures of HANDLES AND SPIRIT LEVELS




Since 1964 KAPPA has been a pioneer in the manufacture of handles and spirit levels, offering exclusivity, quality, innovation and reliability over the years.

In 2012 JAR took over the baton, committing itself as a manufacturer to continue the effort and the work carried out over all those years. With the aim of staying "always in the lead" we face the future and the new challenges of the JAR brand.



**MACHINE
VISION**

RELIABILITY



VIAL
Barrel shaped
Shock proof
Easy to read (magnifying effect)
Shines in the dark
Perfect leveling
UVA resistant

**SURFACE
MILLED
WITH
MAXIMUM
PRECISION**



Polyoxymethylene (POM) safety wedges

- Working temperature
-40 °C/+90 °C

**Polypropylene
handle**

- ERGONOMIC
- ANTI-VIBRATION

**Fiberglass
reinforcement**

- RESISTANCE
- FLEXIBILITY
- STRENGTH

Thermoplastic elastomer

- MAXIMUM GRIP
- MAXIMUM SAFETY



20 años
de eficiencia magnética
magnética

**HIGH
POWERED
NEODYMIUM
MAGNETS**


**ANODISED
ALUMINIUM
QUALITY**



LUMP HAMMER HANDLE

LUMP HAMMER HANDLE TRIMATERIAL WITH WEDGE

Trimaterial lump hammer handle with «O», «A» or «B» wedge; and traditional wedges «A» and «B».



Ref.	Mod.	A mm	B mm	H mm	L mm	
03070FO	«O»	16	30	28	280	Bag of 10 pcs.
03070FA	«A»	17	30	32	280	Bag of 10 pcs.
03070FB	«B»	17	30	35	280	Bag of 10 pcs.
0307TFA	«A»	15	24	30	280	Bag of 10 pcs.
0307TFB	«B»	16	25	34	280	Bag of 10 pcs.


MANGO TRIMATERIAL LUMP HAMMER HANDLE MACETA TRIMATERIAL



Ref.	A mm	B mm	L mm	
03070FP	27	39	287	Bag of 10 pcs.

PP LUMP HAMMER HANDLE

Standard or classic.




Ref.	Mod.	A mm	B mm	H mm	L mm	
03070NO	Standard «O»	16	30	30	270	Bag of 10 pcs.
03070NA	«A»	16	30	31	280	Bag of 10 pcs.
03070NB	«B»	16	30	35	280	Bag of 10 pcs.
030700O	Clásico «O»	12	21	30	270	Bag of 10 pcs.
030700A	«A»	15	25	30	270	Bag of 10 pcs.
030700B	«B»	16	25	34	270	Bag of 10 pcs.

BALL PEEN HANDLE

TRIMATERIAL BALL HEAD HANDLE


Trimaterial ball head handle in various sizes.



Ref.	Mod.	A mm	B mm	H mm	L mm	
03071FC	420 gr.	14	22	38	310	Bag of 10 pcs.
03071BFD	540 gr.	14	24	42	330	Bag of 10 pcs.
03071FE	700 gr.	16	26	48	350	Bag of 10 pcs.
03071BFF	870 gr.	17	28	50	360	Bag of 10 pcs.
03071FGH	1070 gr. 1320 gr.	18	30	54	370	Bag of 10 pcs.
03071BGH	Kappa	18	30	51	370	Bag of 10 pcs.


PP BALL HEAD HANDLE

In various sizes.



Ref.	Mod.	A mm	B mm	H mm	L mm	
030PK2A	«A»	11	18	30	280	Bag of 10 pcs.
030PK2B	«B»	12	18	36	280	Bag of 10 pcs.
030PK2C	«C»	13	21	36	300	Bag of 10 pcs.
030PK2D	«D»	14	23	41	310	Bag of 10 pcs.
030PK2E	«E»	17	24	46	330	Bag of 10 pcs.
030PK2F	«F»	18	25	50	330	Bag of 10 pcs.
030PK2G	«G»	18	28	54	350	Bag of 10 pcs.
030PK2H	«H»	18	29	58	360	Bag of 10 pcs.

TRIMATERIAL ROUND HANDLE



Ref.	Ø mm	L mm	
030R033	29	330	Bag of 10 pcs.

TRIMATERIAL ROUND HANDLE

Suitable for:

- Carpenter's hammer B 475 g.
- Brick hammer chisel-adze 00 300 g.
- Brick hammer chisel-adze 0 500 gr.
- Brick hammer pick-square 0 520 gr.
- Brick hammer pick-adze 00 300 g.
- Brick hammer pick-adze 0 450 g.

Ref.	Ø mm	L mm	
030R034	30	340	Bag of 10 pcs.
030R038	34	380	Bag of 10 pcs.

TRIMATERIAL ROUND HANDLE


Suitable for:

- Carpenter's hammer C 475 g.
- Carpenter's hammer D 670 g.
- Brick hammer chisel-adze A 600 g.
- Brick hammer chisel-adze B 700 g.
- Brick hammer pick-square A 650 g.
- Brick hammer pick-square B 750 g.
- Brick hammer pick-adze A 550 g.

MATTOCK HANDLE

PP MATTOCK HANDLE

PP nylon Ø 44 and PP rubber hub.



Ref.	Ø mm	H mm	L mm	
0302044	23	39	310	Bag of 10 pcs.


TRIMATERIAL ROUND HANDLE



ROUND HANDLE TRIMATERIAL

Suitable for:

- Carpenter's hammer D 670 g.
- Carpenter's hammer E 725 g.
- Carpenter's hammer F 870 g.




Ref.	Ø mm	L mm	
030R047	30	470	Bag of 10 pcs.

OVAL HANDLE

TRIMATERIAL OVAL HANDLE

Suitable for:


- Formwork C 500 g.
- Formwork D 600 g.



Ref.	Mod.	A mm	B mm	L mm	
030E037		27	38	370	Bag of 10 pcs.
030E047	8017	34	43	470	Bag of 10 pcs.
030E847	8028	27	38	470	Bag of 10 pcs.


NYLON HEAD HANDLE

TRIMATERIAL NYLON HEAD HANDLE




Ref.	Mod.	Ø mm	H mm	L mm	
030F034	Ø34	20	27	307	Bag of 10 pcs.
030F044	Ø44	24	38	343	Bag of 10 pcs.
030F055	Ø55	25	47	375	Bag of 10 pcs.

PP NYLON HEAD HANDLE



Ref.	Mod.	Ø mm	H mm	L mm	
0302022	Ø22	11	19	250	Bag of 10 pcs.
0302028	Ø28	12	25	260	Bag of 10 pcs.
0302034	Ø34	15	29	280	Bag of 10 pcs.


PP NYLON HEAD HANDLE Ø 44



Ref.	Ø mm	H mm	L mm	
0302044	23	39	310	Bag of 10 pcs.

CABINETRY HAMMER HANDLE


PP CABINETRY HANDLE



Ref.	Mod.	A mm	B mm	H mm	L mm	
0305000	«O»	8	16	14	255	Bag of 10 pcs.
030500A	«A»	8	18	17	275	Bag of 10 pcs.
030500B	«B»	8	18	19	280	Bag of 10 pcs.
030500C	«C»	9	19	21	300	Bag of 10 pcs.
030500D	«D»	9	22	24	300	Bag of 10 pcs.
030500E	«E»	12	24	28	300	Bag of 10 pcs.

SLEDGEHAMMER HANDLE

PP RUBBER SLEDGEHAMMER HANDLE




Ref.	Ø mm	H mm	L mm	
0302044	23	39	310	Bag of 10 pcs.

WEDGES FOR HANDLES

Ref.	A mm	B mm	C mm	
0307001	26	28	20	Bag of 50 pcs.
0307002	16	18	20	Bag of 50 pcs.
0307003	12	15	20	Bag of 50 pcs.
0307004		16	56	Bag of 25 pcs.
0307005	37	41	25	Bag of 50 pcs.
0307006	17	20	20	Bag of 50 pcs.
0307007	21	24	20	Bag of 50 pcs.
0307008	8	10	17	Bag of 50 pcs.

Equivalents


03070FO-03070FA-03070FB-03070NA-03070NB-03070NO-03071BFF-03071BGH-03071FGH-030PK2G-030PK2H
 030500D-030700O-03071FC-030PK2C
 030PK2A-030PK2B-0302034-030500O-030500A-030500B-030500C
 0302044
 030M091-030M092
 030PK2D-030500E
 0307TFA-0307TFB-030700A-030700B-030PK2E-030PK2F-03071BFD - 03071FE
 0302022-0302028



HANDLE FOR TOOLS



TRIMATERIAL HANDLE FOR Ø 30/33/35 TOOLS




Ref.	Ø mm	L mm	
030R090	33	900	Single
030R120	33	1200	Single




TRIMATERIAL HANDLE FOR Ø 38/40/42 TOOLS

Ref.	Ø mm	L mm	
030R091	42	900	Single
030R121	42	1200	Single



TRIMATERIAL HANDLE FOR Ø 45/50 TOOLS


Ref.	Ø mm	L mm	
030R092	52	900	Single



HOE HANDLE



TRIMATERIAL HANDLE FOR HOES




Ref.	Ø mm	L mm	
030R093	32	1200	Single



SCRAPER HANDLE



TRIMATERIAL SCRAPER HANDLE




Ref.	Ø mm	L mm	
030R124	32	1200	Single



SLEDGEHAMMER HANDLE


OVAL TRIMATERIAL PRESSURE FIT SLEDGEHAMMER HANDLE

Ref.	A mm	B mm	L mm	
030M090	35	50	900	Single



TRIMATERIAL SLEDGEHAMMER WEDGE HANDLE


Ref.	Mod.	A mm	B mm	H mm	L mm	
030M091	3 y 4 kg.	24	42	60	700	Single
030M092	5 y 6 kg.	29	44	68	880	Single



SHOVEL HANDLE

D-GRIP SHOVEL HANDLE

Ref.	Ø mm	L mm	
030P071	32	800	Single



Diameter




Conic shape



TRIMATERIAL CROSS-GRIP SHOVEL

Ref.	Ø mm	L mm	
030P072	32	700	Single



Diameter




Conic shape



TRIMATERIAL STICK-GRIP SHOVEL

Ref.	Ø mm	L mm	
030P094	32	900	Single



Diameter




Conic shape



FILE HANDLE

FILE HANDLE PK1



RIBS
for better grip

Ref.	Mod.	A mm	B mm	L mm	
030PK10	2", 3", 4"	26	15	77	Bag of 25 pcs.
030PK11	4", 5", 6"	29	19	91	Bag of 25 pcs.
030PK12	6", 8"	31	21	106	Bag of 25 pcs.
030PK13	10", 12"	33	23	117	Bag of 25 pcs.
030PK14	12", 14"	34	25	122	Bag of 25 pcs.

FILE HANDLE PK2



RIBS
for better grip

Ref.	Mod.	A mm	B mm	L mm	
030PK21	4", 6"	26	15	85	Bag of 25 pcs.
030PK22	8", 10"	29	19	100	Bag of 25 pcs.
030PK23	10", 14"	31	21	110	Bag of 25 pcs.

- The file handles are made with phase copolymer.
- This material provides excellent impact resistance and good rigidity.
- Ergonomic design.

TOOLS

- Choice of top quality steel.
- Handles with fibreglass.
- Ergonomic non-slip grip.
- Maximum reliability and safety of use.
- Tempered according to DIN 48/52 HRC table that provides the ideal hardness and toughness characteristics.
- High vibration absorption.

LUMP HAMMER

LUMP HAMMER



Ref.	Mod.	 Kg	L mm	Equivalent	
03170FA	«A»	1	280	03070FP	Single
03170FB	«B»	1,25	280	03070FP	Single

SQUARE LUMP HAMMER



Ref.	Mod.	 Kg	L mm	Equivalent	
03171FA	«A»	1	280	03070FP	Single
03171FB	«B»	1,25	280	03070FP	Single

ROUND CARPENTER'S HAMMER

MAGNETISED ROUND CARPENTER'S HAMMER



Ref.	 Kg	L mm	Equivalent	
031RM50	0,85	470	030R047	Single

CARPENTER'S HAMMER



Ref.	 Kg	L mm	Equivalent	
031R047	0,85	470	030R047	Single

OVAL FORMWORK HAMMER

OVAL FORMWORK HAMMER



Ref.	Mod.	 Kg	L mm	Equivalent	
031E037	Oval C	0,5	370	030E037	Single

MAGNETISED FORMWORK HAMMER OVAL EYE



Ref.	 Kg	L mm	Equivalent	
031EM50	0,7	470	030E847	Single

BRICK HAMMER

BRICK HAMMER AXE-ADZE



Ref.	Kg	L mm	Equivalent	
03132FA	0,7	340	030R034	Single

BRICK HAMMER ADZE-SQUARE



Ref.	Kg	L mm	Equivalent	
03134FA	0,5	340	030R034	Single
03135FA	0,65	340	030R034	Single

BRICK HAMMER PICK-ADZE



Ref.	Kg	L mm	Equivalent	
03133FA	0,7	340	030R034	Single

PICKAXE



Ref.	Kg	L mm	Equivalent	
031P025	2,5	900	030R092	Single

AXES

AXE



Ref.	Kg	L mm	Equivalent	
031H600	0,6	370	030E037	Single
031H150	1,4	900	030M090	Single

SLEDGEHAMMER

SLEDGEHAMMER



Ref.	Mod.	Kg	L mm	Equivalent	
031M003		3	900	030M090	Single
031M004		4	900	030M090	Single
031M005		5	900	030M090	Single
031M006		6	900	030M090	Single
031M103	Wedge	3	700	030M090	Single

SCRAPER

INOX STEEL

Sheet thickness: 1mm.

Steel Sheet - Antioxidant..



Ref.		L mm	Equivalent	
031RE14	150x144	1200	030R124	Single
031RE30	150x300	1200	030R124	Single

HOE

HOE



Ref.	AxB	L mm	Equivalent	
031R093	180x260	1200	030R093	Single

RECTANGULAR HOE

For mixing cement, plaster, etc.
Agricultural use (stable cleaning, etc.).



Ref.	AxB	L mm	Equivalent	
031R193	140x310	1200	030R093	Single

COMBITECH HAMMER

HIGH DENSITY COMBITECH HAMMER



Fixing system
SUPERFIX

The combitech hammer heads are exchanged using pressure while those of thermoplastic elastomer are exchanged by unscrewing.

Trimaterial handle



PP handle

Ref.	Mod.	Ø mm	Equivalent	
031F022	PP	Ø 22	0302022	Single
031F028	PP	Ø 28	0302028	Single
031F034	Trimaterial	Ø 34	030F034	Single
031F044	Trimaterial	Ø 44	030F044	Single
031F055	Trimaterial	Ø 55	030F055	Single

HEADS

HIGH DENSITY HEADS



Ref.	Ø mm	
030R222	Ø 22	50 pcs.
030R228	Ø 28	50 pcs.
030R234	Ø 34	50 pcs.
030R244	Ø 44	50 pcs.
030R255	Ø 55	25 pcs.

White: The head is made of polyamide. This material offers outstanding strength and high productivity. Tough jobs, heavy industry and construction.

SHOVELS

ROUND SHOVEL

Available with D-grip handle or cross handle.



Ref.	AxB	L mm	Equivalent	
031PR71	335x284	800	030P071	Single



Ref.	AxB	L mm	Equivalent	
031PR72	335x284	700	030P072	Single

SQUARE SHOVEL

Available with D-grip handle or cross handle.



Ref.	AxB	L mm	Equivalent	
031PC71	338x263	800	030P071	Single



Ref.	AxB	L mm	Equivalent	
031PC72	338x263	700	030P072	Single

HOES

HOE 2A



Ref.	AxB	L mm	Equivalent	
031A02A	190x120	900	030R091	Single

HOE 2B



Ref.	AxB	L mm	Equivalent	
031A02B	205x140	900	030R091	Single

HOE 3A



Ref.	AxB	L mm	Equivalent	
031A03A	190x180	900	030R091	Single

HOE 85B



Ref.	AxB	L mm	Equivalent	
031A85B	170x115	900	030R091	Single

GRAVEL RAKE

GRAVEL RAKE

Ref.	AxB	L mm	Equivalent	
031RG91	215x200	900	030R091	Single



PLANE WING SPIRIT LEVEL

INDAR PLANE WING SPIRIT LEVEL

- Orange injection aluminium spirit level. Electrostatic powder coated.
 - Milled surface.
 - Two bubble vials, horizontal and vertical. Patented by KAPPA. The reading is three times clearer than with a conventional bubble vial. Unbreakable. The luminescent band improves visibility in dark environments.
- Precision: ± 0.5 mm/m.

Ref.	↔	📦
042AA40	40 cm.	5 pcs.
042AA50	50 cm.	5 pcs.
042AA60	60 cm.	5 pcs.
042AA80	80 cm.	2 pcs.



patented

PAINTED



- Thermoplastic rubber protectors for hitting with a hammer or trowel.



- Universal hanger.
- Milled surface.



- Reinforcement ribs.



- Maximum bubble visibility.



- Chamfer cut.

INDAR MAGNETISED PLANE WING SPIRIT LEVEL

- Same characteristics as the Indar Spirit Level.
- Neodymium magnets.

Ref.	↔	Imanes	📦
042AM40	40 cm.	2	5 pcs.
042AM50	50 cm.	2	5 pcs.
042AM60	60 cm.	3	5 pcs.
042AM80	80 cm.	3	2 pcs.

Internal neodymium magnets. Perfect levelling surface.



TORPEDO SPIRIT LEVEL

TORPEDO SPIRIT LEVEL

- 23 cm plastic profile.
- Easy to read acrylic bubble vials for horizontal, vertical and 45° levelling.
- Opening at the top to help in reading.
- Shock-proof caps.
- Magnetic band in the base.
- Precision: ± 0.75 mm/m.

Ref.	↔	📦
04NTM01	23 cm.	8 pcs.



PROLEVEL SPIRIT LEVEL

PROLEVEL SPIRIT LEVEL

- Aluminium profile with a rectangular cross section 1.2 mm thick.
- Two shock-proof bubble vials, horizontal and vertical.
- Two rugged caps that protect the aluminium profile.
- Precision: ± 0.5 mm/m.

Ref.	↔	📦
040E020	20 cm.	5 pcs.
040E030	30 cm.	5 pcs.
040E040	40 cm.	5 pcs.
040E050	50 cm.	5 pcs.
040E060	60 cm.	5 pcs.
040E080	80 cm.	2 pcs.
040E100	100 cm.	2 pcs.



MAGNETIC PROLEVEL SPIRIT LEVEL

- Same characteristics as the Prolevel Spirit Level.
- Neodymium magnets



Ref.	↔	Imanes	📦
040EM30	30 cm.	2	5 pcs.
040EM40	40 cm.	2	5 pcs.
040EM50	50 cm.	2	5 pcs.
040EM60	60 cm.	2	5 pcs.
040EM80	80 cm.	2	2 pcs.
040EM100	100 cm.	3	2 pcs.

REDPRO SPIRIT LEVEL

REDPRO SPIRIT LEVEL

- Aluminium profile with a rectangular cross section 1.2 mm thick.
- Two shock-proof bubble vials, horizontal and vertical.
- Two rugged caps that protect the aluminium profile.
- Precision: ± 0.5 mm/m.

680
gr/m

Ref.	↔	📦
040EP040	40 cm.	5 pcs.
040EP050	50 cm.	5 pcs.
040EP060	60 cm.	5 pcs.
040EP080	80 cm.	2 pcs.

PAINTED



TECHNICAL MEASUREMENT


RT1 WHEEL TOPOMETER

- Reaches up to: 10,000 m.
- Markings: Decimetre.
- Wheel perimeter: 1 m.
- Height: 95 cm.
- Weight: 1.7 kg

Ref.	📦
06RT0000	Single



DISPLAY UNITS



Ref. 00EXN01

Spirit level display unit.

Capacity for 30 pcs.

(*) NO CHARGE for orders over € 350/net in spirit levels.

Ref.	↔	📦
00EXN01*	A (56 cm.) x B (48 cm.) x C (36 cm.)	1 ud.
00EXG01**	A (200 cm.) x B (98 cm.) x C (45 cm.)	1 ud.



Ref. 00EXG01

General Display Unit

(**) Includes a tray and 10 priceholder hooks.

ALUMINIUM STRAIGHTEDGES


ALUMINIUM STRAIGHTEDGES

RECTANGULAR (60x30)

With anti-shock caps.



Ref.	↔	📦
04R0100	1 m.	4 pcs.
04R0150	1,5 m.	4 pcs.
04R0200	2 m.	4 pcs.
04R0250	2,5 m.	4 pcs.
04R0300	3 m.	4 pcs.




ALUMINIUM STRAIGHTEDGES (100x18)

With anti-shock caps.



Ref.	↔	📦
04R4100	1 m.	4 pcs.
04R4150	1,5 m.	4 pcs.
04R4200	2 m.	4 pcs.
04R4250	2,5 m.	4 pcs.
04R4300	3 m.	4 pcs.




TRAPEZIODAL ALUMINIUM STRAIGHTEDGE

With anti-shock caps.




Ref.	↔	📦
04R1100	1 m.	4 pcs.
04R1150	1,5 m.	4 pcs.
04R1200	2 m.	4 pcs.
04R1250	2,5 m.	4 pcs.
04R1300	3 m.	4 pcs.



ALUMINIUM STRAIGHTEDGES


P ALUMINIUM STRAIGHTEDGE



Ref.	↔	📦
04R2100	1 m.	4 pcs.
04R2150	1,5 m.	4 pcs.
04R2200	2 m.	4 pcs.
04R2250	2,5 m.	4 pcs.
04R2300	3 m.	4 pcs.

SQUARE ALUMINIUM STRAIGHTEDGE

With anti-shock caps.



Ref.	↔	📦
04R3100	1 m.	4 pcs.
04R3150	1,5 m.	4 pcs.
04R3200	2 m.	4 pcs.
04R3250	2,5 m.	4 pcs.
04R3300	3 m.	4 pcs.

USES FOR STRAIGHTEDGES

KAPPA aluminium straightedges are light and very robust.
Perfect for construction and masonry work.



Making walls plumb.



Levelling the floor.



Paving construction



Laying bricks

Index by reference

Ref.	Pag.	Ref.	Pag.	Ref.	Pag.	Ref.	Pag.
1050299	11	2006199	34	2052099	38	2088099	44
1060099	10	2006399	34	2054099	39	2089099	44
1130205	11	2007899	33	2056099	38	2090099	44
1130207	11	2008899	33	2057099	39	2091099	44
1135207	11	2009899	33	2058099	39	2094099	44
1160004	11	2010099	17	2059099	39	2095099	44
1160005	11	2011099	17	2060099	38	2096099	44
1160006	11	2012899	33	2062099	39	2098099	44
1160007	11	2013899	33	2063099	39	2105099	41
1160008	11	2014199	34	2065199	22	2107099	41
1160009	11	2015799	18	2065299	22	2110099	41
1160010	11	2016799	18	2065399	22	2111099	41
1160011	11	2017799	18	2065499	22	2112099	41
1160012	11	2018799	18	2065599	22	2113099	41
1170002	11	2020799	18	2066099	22	2115099	41
1170003	11	2022799	18	2068799	48	2117099	41
1170004	11	2023799	18	2069004	48	2120099	41
1170005	11	2024000	46	2069006	48	2131099	41
1170006	11	2025699	42	2069008	48	2132099	41
1170007	11	2026000	46	2069010	48	2133099	41
1170008	11	2027000	46	2069012	48	2161099	41
1170009	11	2028000	46	2069014	48	2162099	41
1170010	11	2029000	46	2069016	48	2163099	41
1180006	11	2030000	46	2070799	48	2165099	41
1180007	11	2031000	46	2071004	48	2167099	41
1180008	11	2032000	46	2071006	48	2170099	41
1185099	11	2033000	46	2071008	48	2201099	41
1190299	22	2034000	46	2071010	48	2202099	41
1190799	22	2035000	46	2071012	48	2203099	41
1200099	8	2036000	46	2071014	48	2205099	41
1800399	8	2037000	46	2071016	48	2207099	41
1801399	8	2038000	46	2073099	45	2210099	41
1805399	8	2039000	46	2074099	45	2214099	41
1999099	9	2040000	46	2075099	45	2216099	41
2000199	9	2041399	31	2080002	42	2218099	41
2000299	9	2041599	31	2080003	42	2220099	36
2000399	9	2042099	31	2080004	42	2221099	36
2000799	9	2045099	38	2080006	42	2222099	36
2001199	4	2046099	38	2080007	42	2223099	36
2001299	4	2047099	39	2080008	42	2224099	37
2001399	4	2048099	39	2080010	42	2225099	37
2001499	4	2049099	38	2080011	42	2226099	37
2001599	4	2050099	38	2080012	42	2227099	37
2001799	4	2051099	38	2085099	44	2228099	37

Symbol meanings



Packaging.



Thickness.



Length



Height.



Weight.



Magnets

Ref.	Pag.
2229099	37
2230000	36
2231000	36
2232000	36
2233000	36
2234099	37
2235099	36
2236099	36
2240099	36
2241000	36
2242099	36
2243099	36
2244099	36
2245099	36
2246099	36
2247000	36
2250799	47
2258099	37
2259099	37
2261000	41
2262000	41
2263099	41
2265000	41
2270799	47
2280099	45
2281099	45
2282099	45
2283099	45
2301199	7
2301299	7
2301399	7
2301499	7
2301599	7
2301799	7
2305199	4
2305299	4
2305399	4
2305499	4
2305599	4
2305799	4
2311199	7
2311299	7
2311399	7
2311499	7
2311599	7
2311799	7
2335199	9
2350099	42
2351099	42
2359099	34
2360299	35
2360399	35
2360499	35
2360599	35
2361299	35
2361399	35

Ref.	Pag.
2361499	35
2361599	35
2362001	35
2362003	35
2362004	35
2362009	35
2362299	35
2362399	35
2362499	35
2362599	35
2363899	33
2365899	33
2366899	33
2371199	5
2371299	5
2371399	5
2371499	5
2371599	5
2371799	5
2375199	5
2375299	5
2375399	5
2375499	5
2375599	5
2375799	5
2381199	6
2381299	6
2381399	6
2381499	6
2381599	6
2381799	6
2385199	6
2385299	6
2385399	6
2385499	6
2385599	6
2385799	6
2400099	43
2450099	43
2460099	43
2470099	43
2480099	43
2500099	43
2509099	19
2510399	19
2510499	19
2510599	19
2516399	18
2516799	18
2517399	18
2517799	18
2518399	18
2518399.POL	18
2518799	18
2520799	18
2522799	18

Ref.	Pag.
2523799	18
2530099	19
2531099	19
2532099	19
2541099	39
2545099	38
2546099	38
2548099	39
2550099	38
2551099	38
2552099	38
2556099	38
2557099	39
2560099	38
2561099	39
2564099	38
2565099	38
2565199	38
2565299	38
2565399	38
2566006	40
2566008	40
2566010	40
2570099	40
2571099	40
2573099	40
2608899	33
2700007	43
2705007	43
2710099	43
2711099	43
2720099	47
2725099	47
2730099	47
2735099	47
2740099	47
2750099	47
2790099	47
2825099	47
2830099	47
2840099	47
2850099	47
2919099	46
2920099	46
2921099	46
2922099	46
2923099	46
3003099	49
3004099	49
3005099	47
3020099	49
3031099	14
3036099	14
3040099	14
3050099	24
3250099	43

Ref.	Pag.
3260099	43
3270099	43
3280099	43
3300099	43
3400099	19
3450099	44
3451099	44
3460099	15
3490099	15
3491099	15
3500007	43
3600099	21
3610099	21
4000199	32
4001299	32
4001399	32
4001599	32
4009099	32
4010099	32
4011299	31
4011399	31
4011599	31
4012099	32
4013099	31
4013599	31
4020099	31
4030099	12
40304620	12
4032099	12
40324620	12
4033099	12
4041099	49
4042099	49
4046001	25
4046901	25
4050001	28
4050002	28
4050003	28
4050004	28
4050005	28
4050006	28
4050007	28
4050008	28
4050009	28
4050010	28
4050011	28
4050012	28
4050013	28
4050014	28
4050015	28
4050016	28
4050017	28
4050018	28
4050019	28
4050020	28
4050021	28

Ref.	Pag.	Ref.	Pag.	Ref.	Pag.	Ref.	Pag.
4050022	28	4052510	26	4068018	29	4105307	27
4050023	28	4052511	26	4068019	29	4105308	27
4050024	28	4053099	22	4068020	29	4105311	27
4050025	28	4053999	22	4068021	29	4105312	27
4050026	28	4055099	22	4068022	29	4105313	27
4050027	28	4055999	22	4068023	29	4105314	27
4050028	28	4056001	25	4068024	29	4105315	27
4050029	28	4056901	25	4068025	29	4105316	27
4050030	28	4057001	24	4068026	29	4105317	27
4050031	28	4058001	24	4068027	29	4105318	27
4050032	28	4058002	24	4068028	29	4105504	27
4050033	28	4058003	24	4068029	29	4105506	27
4050034	28	4059001	25	4068030	29	4105507	27
4050035	28	4060099	24	4068031	29	4105508	27
4051099	28	4061099	24	4069099	29	4105509	27
4052001	26	4064401	30	4070099	16	4105901	30
4052002	26	4064402	30	4070899	16	4105902	30
4052003	26	4064403	30	4071099	16	4105903	30
4052004	26	4064404	30	4071399	17	4105904	30
4052005	26	4064405	30	4071499	17	4105905	30
4052006	26	4064406	30	4071599	17	4105906	30
4052007	26	4064407	30	4071799	17	4105907	30
4052008	26	4064408	30	4071899	17	4156001	25
4052009	26	4064409	30	4072099	16	4156901	25
4052010	26	4064410	30	4073099	16	4159001	25
4052011	26	4064411	30	4073899	16	4159903	25
4052012	26	4064501	30	4076261	16	4160099	17
4052013	26	4064502	30	4079099	17	4160899	17
4052014	26	4064503	30	4080299	22	4165799	16
4052015	26	4064504	30	4085099	22	4167099	16
4052016	26	4064505	30	4088099	40	4172099	16
4052017	26	4064506	30	4090099	40	4425099	21
4052018	26	4064507	30	4091099	40	4435099	21
4052020	26	4064508	30	4092000	17	4445099	21
4052021	26	4064509	30	4093000	17	4500199	20
4052025	26	4064510	30	4095000	17	4501199	20
4052031	26	4064511	30	4096000	17	4502199	20
4052302	26	4065099	22	4097000	17	4503099	20
4052303	26	4065999	22	4098000	17	4504099	20
4052304	26	4068001	29	4105001	27	4505099	20
4052305	26	4068002	29	4105005	27	4506099	20
4052306	26	4068003	29	4105006	27	4507899	20
4052307	26	4068004	29	4105007	27	4520199	48
4052308	26	4068005	29	4105008	27	4521199	48
4052309	26	4068006	29	4105009	27	4522199	48
4052311	26	4068007	29	4105010	27	4523199	48
4052312	26	4068008	29	4105014	27	4524199	48
4052313	26	4068009	29	4105015	27	4525199	48
4052502	26	4068010	29	4105016	27	4551099	48
4052503	26	4068011	29	4105017	27	4552099	10
4052504	26	4068012	29	4105018	27	4554099	10
4052505	26	4068013	29	4105021	27	4555099	10
4052506	26	4068014	29	4105302	27	4556099	10
4052507	26	4068015	29	4105304	27	4557099	10
4052508	26	4068016	29	4105305	27	4558099	10
4052509	26	4068017	29	4105306	27	4559099	9

Ref.	Pag.	Ref.	Pag.	Ref.	Pag.	Ref.	Pag.
4560099	8	03071BFF	51	030R234	58	040EM30	61
4561099	10	03071BGH	51	030R244	58	040EM40	61
4565799	8	03071FC	51	030R255	58	040EM50	61
4570099	38	03071FE	51	03132FA	57	040EM60	61
4571099	38	03071FGH	51	03133FA	57	040EM80	61
4572099	38	0307TFA	51	03134FA	57	040EM100	61
4573099	38	0307TFB	51	03135FA	57	040EP040	62
4600099	21	030E037	52	03170FA	56	040EP050	62
4602099	18	030E047	52	03170FB	56	040EP060	62
4605099	23	030E847	52	03171FA	56	040EP080	62
4620099	13	030F034	53	03171FB	56	042AA40	60
4621099	13	030F044	53	031A02A	59	042AA50	60
4622099	13	030F055	53	031A02B	59	042AA60	60
4623099	13	030M090	55	031A03A	59	042AA80	60
4624099	13	030M091	55	031A85B	59	042AM40	60
4834099	13	030M092	55	031E037	56	042AM50	60
4917131	20	030P071	55	031EM50	56	042AM60	60
00EXG01	62	030P072	55	031F022	58	042AM80	60
00EXN01	62	030PK10	55	031F028	58	04NTM01	69
0302022	53	030PK11	55	031F034	58	04R0100	63
0302028	53	030PK12	55	031F044	58	04R0150	63
0302034	53	030PK13	55	031F055	58	04R0200	63
0302044	53	030PK14	55	031H150	57	04R0250	63
030500A	53	030PK21	55	031H600	57	04R0300	63
030500B	53	030PK22	55	031M003	57	04R1100	63
030500C	53	030PK23	55	031M004	57	04R1150	63
030500D	53	030PK2A	55	031M005	57	04R1200	63
030500E	53	030PK2B	55	031M006	57	04R1250	63
030500O	53	030PK2C	55	031M103	57	04R1300	63
030700O	51	030PK2D	55	031P025	57	04R2100	64
0307001	53	030PK2E	55	031PC71	58	04R2150	64
0307002	53	030PK2F	55	031PC72	58	04R2200	64
0307003	53	030PK2G	55	031PR71	58	04R2250	64
0307004	53	030PK2H	55	031PR72	58	04R2300	64
0307005	53	030P094	55	031R047	56	04R3100	64
0307006	53	030R033	52	031R093	58	04R3150	64
0307007	53	030R034	52	031R193	58	04R3200	64
0307008	53	030R038	52	031RE14	57	04R3250	64
030700A	51	030R047	52	031RE30	57	04R3300	64
030700B	51	030R090	54	031RG91	57	04R4100	63
03070FA	51	030R091	54	031RM50	56	04R4150	63
03070FB	51	030R092	54	040E020	61	04R4200	63
03070FO	51	030R093	54	040E030	61	04R4250	63
03070FP	51	030R120	54	040E040	61	04R4300	63
03070NA	51	030R121	54	040E050	61	06RT0000	62
03070NB	51	030R124	54	040E060	61		
03070NO	51	030R222	58	040E080	61		
03071BFD	51	030R228	58	040E100	61		

Only whole container orders will not be accepted.

Orders below € 150 will not be accepted.

Jar will not be responsible for missing packages that are not noted on the delivery acceptance.

Prices are valid except for printing errors.



MEPLASJAR, S.L.

Pol. Ind. Comarca II, calle A, nº 48

31191 Esparza de Galar (NAVARRA) Spain

Tel. +34 948 240 639 · Fax +34 948 246 052

E-mail: jar@meplasjar.com

www.meplasjar.com

